

# Chronic Conditions Warehouse

*Your source for national CMS Medicare and Medicaid research data*



**Chronic Conditions Warehouse Virtual Research Data Center**

**Accountable Health Communities (AHC) Model**

**Data File Codebook**

DECEMBER 2024 | VERSION 1.0

## Revision Log

Date	Changed by	Revisions	Version
December 2024	K. Schneider R. VanGilder	Initial release of codebook	1.0

## Tips on Navigating the Codebook

The Accountable Health Communities (AHC) Model data file is from the Centers for Medicare & Medicaid Services (CMS) Center for Medicare & Medicaid Innovation (CMS Innovation Center) AHC Model test. The CCW team obtained the AHC data file from CMS and disseminates it. The AHC data file includes all screening and navigation data submitted by 31 bridge organizations between May 2018 and April 2023. Many of the fields in the data file are from the AHC Health Related Social Needs Screening tool, which is available at:

- [Standardized Screening for Health-Related Social Needs in Clinical Settings: The Accountable Health Communities Screening Tool - National Academy of Medicine \(nam.edu\)](#)
- [The AHC Health-Related Social Needs Screening Tool \(cms.gov\)](#)

Variables from the AHC Screening tool begin with the prefix “SR\_\*” (screening results).

This document is a detailed codebook that describes each variable in the AHC data file. Because the file has many variables, we have included several ways for users to quickly find the information they need:

- A complete listing of all variables in the files, in alphabetical order based on their SAS variable names
- Individual entries for each variable that contain a short description of the variable, the possible values for the variable, and, in many cases, notes that discuss how the variable was constructed and should be used

We have included hyperlinks throughout the codebook to make it easier for analysts to navigate between the table of contents and the detailed entries for the individual variables:

- Clicking on any variable name in the Table of Contents will take you to the detailed description for that variable
- From the detailed description for any individual variable, clicking on the ^Back to TOC^ link after each variable description will take you back to the Table of Contents

# Table of Contents

This section of the codebook contains a list of all variables in alphabetical order based on the SAS variable name.

Quick links: [A](#) [B](#) C D E F G H I J K L [M](#) [N](#) O P Q R [S](#) T U V W X Y Z

<b>Variable Details</b> .....	<b>8</b>
AHC_BENE_ID.....	8
AHC_BRDG_ORG_ID.....	9
AHC_BRDG_ORG_STATE_CD.....	10
AHC_TRK_CD.....	11
BENE_AGE_NUM.....	12
BENE_BIRTH_DT.....	13
BENE_EDCTN_CD.....	14
BENE_GNDR_CD.....	15
BENE_ID.....	16
BENE_INCM_RNG_CD.....	17
BENE_INSRNC_TYPE_CD.....	18
BENE_PREFRD_LANG_TXT.....	19
BENE_RACE_ETHNCTY_CD.....	20
BENE_STATE_CD.....	21
BENE_ZIP_CD.....	22
MSIS_ID.....	23
MSIS_RFRNC_YR.....	24
NC_NVGTN_ACTN_PLAN_CMPLT_SW.....	25
NC_NVGTN_CASE_ID.....	26
NC_NVGTN_CASE_STRT_DT.....	27
NC_NVGTN_CASE_TRMNTN_DT.....	28
NE_NVGTR_AVG_CNTCT_MNTS_NUM.....	29
NE_NVGTR_CNTCT_ATMPT_NUM.....	30
NE_NVGTR_SUCSFL_CNTCT_NUM.....	31
NN_CORE_1_CNCTED_TO_CSP_SW.....	32
NN_CORE_1_RSLVD_SW.....	33
NN_CORE_ALL_CNCTED_TO_CSP_SW.....	34
NN_CORE_ALL_CSP_UNAVLBL_SW.....	35
NN_CORE_ALL_OPTOUT_NVGTN_SW.....	36
NN_CORE_ALL_OUTCM_UNK_SW.....	37
NN_CORE_ALL_OUTRCH_ATMPT_FAIL_SW.....	38
NN_CORE_ALL_RSLVD_SW.....	39
NN_CORE_FOOD_CNCT_CSP_SW.....	40
NN_CORE_FOOD_CNTCT_FAIL_SW.....	41
NN_CORE_FOOD_CSP_UNAVBL_SW.....	42

NN_CORE_FOOD_OPTOUT_SW .....	43
NN_CORE_FOOD_OUTCM_UNK_SW.....	44
NN_CORE_FOOD_RSLVD_SW.....	45
NN_CORE_HOUSNG_CNCT_CSP_SW.....	46
NN_CORE_HOUSNG_CNTCT_FAIL_SW .....	47
NN_CORE_HOUSNG_CSP_UNAVBL_SW .....	48
NN_CORE_HOUSNG_OPTOUT_SW .....	49
NN_CORE_HOUSNG_OUTCM_UNK_SW.....	50
NN_CORE_HOUSNG_RSLVD_SW.....	51
NN_CORE_SFTY_CNCT_CSP_SW .....	52
NN_CORE_SFTY_CNTCT_FAIL_SW.....	53
NN_CORE_SFTY_CSP_UNAVBL_SW.....	54
NN_CORE_SFTY_OPTOUT_SW .....	55
NN_CORE_SFTY_OUTCM_UNK_SW.....	56
NN_CORE_SFTY_RSLVD_SW.....	57
NN_CORE_TRNSPRTN_CNCT_CSP_SW .....	58
NN_CORE_TRNSPRTN_CNTCT_FAIL_SW .....	59
NN_CORE_TRNSPRTN_CSP_UNAVBL_SW.....	60
NN_CORE_TRNSPRTN_OPTOUT_SW.....	61
NN_CORE_TRNSPRTN_OUTCM_UNK_SW .....	62
NN_CORE_TRNSPRTN_RSLVD_SW .....	63
NN_CORE_UTILITIES_CNCT_CSP_SW .....	64
NN_CORE_UTILITIES_CNTCT_FAIL_SW.....	65
NN_CORE_UTILITIES_CSP_UNAVBL_SW.....	66
NN_CORE_UTILITIES_OPTOUT_SW .....	67
NN_CORE_UTILITIES_OUTCM_UNK_SW .....	68
NN_CORE_UTILITIES_RSLVD_SW .....	69
NN_NVGTD_CORE_FOOD_SW .....	70
NN_NVGTD_CORE_HOUSNG_SW .....	71
NN_NVGTD_CORE_SFTY_SW .....	72
NN_NVGTD_CORE_TRNSPRTN_SW.....	73
NN_NVGTD_CORE_UTILITIES_SW .....	74
NN_NVGTD_SPLMTL_DSBLTY_SW .....	75
NN_NVGTD_SPLMTL_EDCTN_SW .....	76
NN_NVGTD_SPLMTL_EMPLYMT_SW .....	77
NN_NVGTD_SPLMTL_FINCL_SW .....	78
NN_NVGTD_SPLMTL_FMLY_CMNTY_SW .....	79
NN_NVGTD_SPLMTL_MH_SW .....	80
NN_NVGTD_SPLMTL_PHYS_ACTVTY_SW .....	81
NN_NVGTD_SPLMTL_SBSTNC_USE_SW.....	82
NN_SPLMT_FMLY_CMNT_CNCT_CSP_SW.....	83
NN_SPLMT_FMLY_CMNT_CNTCT_FAIL_SW .....	84

NN_SPLMT_FMLY_CMNT_CSP_UNAVBL_SW.....	85
NN_SPLMT_FMLY_CMNT_OPTOUT_SW.....	86
NN_SPLMT_FMLY_CMNT_OUTCM_UNK_SW.....	87
NN_SPLMT_FMLY_CMNT_RSLVD_SW.....	88
NN_SPLMT_PHYS_ACT_CNCT_CSP_SW.....	89
NN_SPLMT_PHYS_ACT_CNTCT_FAIL_SW.....	90
NN_SPLMT_PHYS_ACT_CSP_UNAVBL_SW.....	91
NN_SPLMT_PHYS_ACT_OPTOUT_SW.....	92
NN_SPLMT_PHYS_ACT_OUTCM_UNK_SW.....	93
NN_SPLMT_PHYS_ACT_RSLVD_SW.....	94
NN_SPLMT_SBSTN_USE_CNCT_CSP_SW.....	95
NN_SPLMT_SBSTN_USE_CNTCT_FAIL_SW.....	96
NN_SPLMT_SBSTN_USE_CSP_UNAVBL_SW.....	97
NN_SPLMT_SBSTN_USE_OPTOUT_SW.....	98
NN_SPLMT_SBSTN_USE_OUTCM_UNK_SW.....	99
NN_SPLMT_SBSTN_USE_RSLVD_SW.....	100
NN_SPLMTL_DSBLTS_CNCT_CSP_SW.....	101
NN_SPLMTL_DSBLTS_CNTCT_FAIL_SW.....	102
NN_SPLMTL_DSBLTS_CSP_UNAVBL_SW.....	103
NN_SPLMTL_DSBLTS_OPTOUT_SW.....	104
NN_SPLMTL_DSBLTS_OUTCM_UNK_SW.....	105
NN_SPLMTL_DSBLTS_RSLVD_SW.....	106
NN_SPLMTL_EDCTN_CNCT_CSP_SW.....	107
NN_SPLMTL_EDCTN_CNTCT_FAIL_SW.....	108
NN_SPLMTL_EDCTN_CSP_UNAVBL_SW.....	109
NN_SPLMTL_EDCTN_OPTOUT_SW.....	110
NN_SPLMTL_EDCTN_OUTCM_UNK_SW.....	111
NN_SPLMTL_EDCTN_RSLVD_SW.....	112
NN_SPLMTL_EMPLYMT_CNCT_CSP_SW.....	113
NN_SPLMTL_EMPLYMT_CNTCT_FAIL_SW.....	114
NN_SPLMTL_EMPLYMT_CSP_UNAVBL_SW.....	115
NN_SPLMTL_EMPLYMT_OPTOUT_SW.....	116
NN_SPLMTL_EMPLYMT_OUTCM_UNK_SW.....	117
NN_SPLMTL_EMPLYMT_RSLVD_SW.....	118
NN_SPLMTL_FINCL_CNCT_CSP_SW.....	119
NN_SPLMTL_FINCL_CNTCT_FAIL_SW.....	120
NN_SPLMTL_FINCL_CSP_UNAVBL_SW.....	121
NN_SPLMTL_FINCL_OPTOUT_SW.....	122
NN_SPLMTL_FINCL_OUTCM_UNK_SW.....	123
NN_SPLMTL_FINCL_RSLVD_SW.....	124
NN_SPLMTL_MH_CNCT_CSP_SW.....	125
NN_SPLMTL_MH_CNTCT_FAIL_SW.....	126

NN_SPLMTL_MH_CSP_UNAVBL_SW.....	127
NN_SPLMTL_MH_OPTOUT_SW .....	128
NN_SPLMTL_MH_OUTCM_UNK_SW.....	129
NN_SPLMTL_MH_RSLVD_SW.....	130
SR_CORE_FOOD_1_CD .....	131
SR_CORE_FOOD_2_CD .....	132
SR_CORE_FOOD_OVRL_SCRNG_IND.....	133
SR_CORE_HOUSNG_1_CD.....	134
SR_CORE_HOUSNG_2_HEAT_SW.....	135
SR_CORE_HOUSNG_2_LEAD_SW.....	136
SR_CORE_HOUSNG_2_MOLD_SW .....	137
SR_CORE_HOUSNG_2_OVEN_SW.....	138
SR_CORE_HOUSNG_2_PESTS_SW.....	139
SR_CORE_HOUSNG_2_PRBLM_CNT.....	140
SR_CORE_HOUSNG_2_SCRNG_CMPST_IND.....	141
SR_CORE_HOUSNG_2_SMK_DTCTR_SW .....	142
SR_CORE_HOUSNG_2_WTR_LEAK_SW .....	143
SR_CORE_HOUSNG_OVRL_SCRNG_IND .....	144
SR_CORE_SFTY_1_CD .....	145
SR_CORE_SFTY_2_CD .....	146
SR_CORE_SFTY_3_CD .....	147
SR_CORE_SFTY_4_CD .....	148
SR_CORE_SFTY_OVRL_SCRNG_IND.....	149
SR_CORE_TRANSPRTN_1_SW .....	150
SR_CORE_TRANSPRTN_OVRL_SCRNG_IND.....	151
SR_CORE_UTILITIES_1_CD .....	152
SR_CORE_UTLTY_OVRL_SCRNG_IND.....	153
SR_ELGBL_FOR_NVGTN_IND .....	154
SR_ER_VISITS_CD.....	155
SR_GRP_ASGNMT_IND .....	156
SR_HAS_CORE_HRSN_IND .....	157
SR_NVGTN_OPT_IN_OUT_DT .....	158
SR_NVGTN_OPT_IN_OUT_IND.....	159
SR_SCRNG_BEFORE_DRNG_AFTR_CD.....	160
SR_SCRNG_DT .....	161
SR_SCRNG_ID.....	162
SR_SPLM_FMLY_CMNTY_OVRL_SCRN_IND.....	163
SR_SPLM_PHYS_ACTV_OVRL_SCRN_IND .....	164
SR_SPLMT_SBST_USE_OVRL_SCRNG_IND.....	165
SR_SPLMTL_DSBLTS_1_SW.....	166
SR_SPLMTL_DSBLTS_2_SW .....	167
SR_SPLMTL_DSBLTS_OVRL_SCRNG_IND .....	168

SR_SPLMTL_EDCTN_1_SW.....	169
SR_SPLMTL_EDCTN_2_SW.....	170
SR_SPLMTL_EDCTN_OVRL_SCRNG_IND.....	171
SR_SPLMTL_EMPLYMT_1_CD.....	172
SR_SPLMTL_EMPLYMT_OVRL_SCRN_IND.....	173
SR_SPLMTL_FINCL_1_CD.....	174
SR_SPLMTL_FINCL_OVRL_SCRNG_IND.....	175
SR_SPLMTL_FMLY_CMNTY_SPRT_1_CD.....	176
SR_SPLMTL_FMLY_CMNTY_SPRT_2_CD.....	177
SR_SPLMTL_MH_1_2_SUM.....	178
SR_SPLMTL_MH_1_CD.....	179
SR_SPLMTL_MH_2_CD.....	180
SR_SPLMTL_MH_3_CD.....	181
SR_SPLMTL_MH_OVRL_SCRNG_IND.....	182
SR_SPLMTL_PHYS_ACTVTY_1_2_QTY.....	183
SR_SPLMTL_PHYS_ACTVTY_1_CD.....	184
SR_SPLMTL_PHYS_ACTVTY_2_CD.....	185
SR_SPLMTL_SBSTNC_USE_1_CD.....	186
SR_SPLMTL_SBSTNC_USE_2_CD.....	187
SR_SPLMTL_SBSTNC_USE_3_CD.....	188
SR_SPLMTL_SBSTNC_USE_4_CD.....	189
STATE_CD.....	190



## Variable Details

This section of the codebook contains one entry for each variable in the AHC data file. Each entry contains variable details to facilitate understanding and use of the variables.

### **AHC\_BENE\_ID**

**LABEL:** AHC Beneficiary Identifier

**DESCRIPTION:** Standardized nine-digit unique AHC beneficiary identifier.

**LONG NAME:** AHC\_BENE\_ID

**TYPE:** CHAR

**LENGTH:** 9

**SOURCE:** AHC data system (derived)

**VALUES:** Alphanumeric character string that contains intelligence (e.g., 123019767 is the 19,767th beneficiary in the AHC bridge organization B23).

The first digit is always 1, then the 2<sup>nd</sup> and 3<sup>rd</sup> digits are the numeric portion of the bridge organization identifier (i.e., the “B” from the bridge organization ID is replaced with a “1”). The remaining 6 digits are sequential numbers representing unique AHC beneficiaries.

**COMMENT:** This ID is specific to the AHC Model and does not link to any other CMS data file or system. Most AHC beneficiaries (94%) have a MSIS\_ID or CCW BENE\_ID that may be used to join to other CCW Medicaid (T-MSIS) or Medicare data files.

[^ Back to TOC ^](#)

## AHC\_BRDG\_ORG\_ID

<b>LABEL:</b>	AHC Bridge Organization Identifier
<b>DESCRIPTION:</b>	Each organization participating in the AHC program was assigned an AHC bridge organization identifier.
<b>LONG NAME:</b>	AHC_BRDG_ORG_ID
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	3
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	Alphanumeric character string (e.g., B05)
<b>COMMENT:</b>	<p>This is an identifier assigned within the AHC data system and cannot be linked to any other data set.</p> <p>The AHC bridge organization assigned “B09” voluntarily terminated before the AHC model began. Three other bridge organizations voluntarily terminated before the AHC Model ended. Specifically, B15 ended participation on 5/1/2019, B21 ended participation on 9/1/2019, and B13 ended participation on 11/1/2020.</p>

[^ Back to TOC ^](#)

## AHC\_BRDG\_ORG\_STATE\_CD

**LABEL:** AHC Bridge Organization State

**DESCRIPTION:** AHC bridge organization state.

**LONG NAME:** AHC\_BRDG\_ORG\_STATE\_CD

**TYPE:** CHAR

**LENGTH:** 2

**SOURCE:** AHC data system

**VALUES:**

AZ = Arizona

CO = Colorado

CT = Connecticut

GA = Georgia

HI = Hawaii

IL = Illinois

IN = Indiana

KY = Kentucky

MD = Maryland

MI = Michigan

MN = Minnesota

MS = Mississippi

NJ = New Jersey

NM = New Mexico

NY = New York

OH = Ohio

OK = Oklahoma

OR = Oregon

PA = Pennsylvania

RI = Rhode Island

TX = Texas

VA = Virginia

WV = West Virginia

**COMMENT:** —

[^ Back to TOC ^](#)

## AHC\_TRK\_CD

**LABEL:** AHC Assistance or Alignment Track

**DESCRIPTION:** AHC assistance or alignment track.

**LONG NAME:** AHC\_TRK\_CD

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system

**VALUES:** 1 = Assistance  
2 = Alignment

**COMMENT:** Bridge organizations participated in one of two AHC model tracks.

1. The assistance track identified and randomly assigned to an intervention or control group all navigation-eligible Medicare and Medicaid beneficiaries. They provided navigation services to those assigned to the intervention group, which involved development of an individualized action plan and guidance and support by navigators to help beneficiaries connect with community service providers (CSPs) that could help resolve their health-related social needs (HRSNs).
2. The alignment track expanded upon the assistance track intervention by also requiring an advisory board. Bridge organizations comprised their advisory boards with beneficiaries, health care partners, and community service organizations and charged them with identifying and addressing gaps in community services relative to community needs. Due to the community alignment aspect of the intervention, the alignment track did not have a control group.

[^ Back to TOC ^](#)

## **BENE\_AGE\_NUM**

**LABEL:** Beneficiary Age at Screening

**DESCRIPTION:** Beneficiary age at screening.

**LONG NAME:** BENE\_AGE\_NUM

**TYPE:** NUM

**LENGTH:** 3

**SOURCE:** AHC data system (derived)

**VALUES:** 0–118

**COMMENT:** Calculated field — screen date minus date of birth.

[^ Back to TOC ^](#)

## **BENE\_BIRTH\_DT**

<b>LABEL:</b>	Beneficiary Birth Date
<b>DESCRIPTION:</b>	Beneficiary birth date.
<b>LONG NAME:</b>	BENE_BIRTH_DT
<b>TYPE:</b>	DATE
<b>LENGTH:</b>	8
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	Format: DDMONYYYY (e.g., 04MAY1951)
<b>COMMENT:</b>	If the beneficiary was successfully linked to Medicare claims data, the date of birth from the Medicare enrollment files was used. If the beneficiary was linked to Medicaid claims data, but not Medicare claims data, the date of birth from the Medicaid enrollment files was used. If the beneficiary was not linked to either Medicare or Medicaid claims data, the date of birth from the AHC screening and navigation data was used.

[^ Back to TOC ^](#)

## **BENE\_EDCTN\_CD**

**LABEL:** Beneficiary Education

**DESCRIPTION:** Beneficiary education level code.

**LONG NAME:** BENE\_EDCTN\_CD

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system

**VALUES:** 1 = Less than High School Degree  
2 = High School Graduate or Equivalent  
3 = Some College  
4 = College Graduate  
Missing

**COMMENT:** Nearly one-third (31%) of screenings have a missing value.

[^ Back to TOC ^](#)

## **BENE\_GNDR\_CD**

**LABEL:** Beneficiary Sex  
**DESCRIPTION:** Beneficiary sex code.  
**LONG NAME:** BENE\_GNDR\_CD  
**TYPE:** CHAR  
**LENGTH:** 1  
**SOURCE:** AHC data system  
**VALUES:** 1 = Female  
2 = Male  
Missing  
**COMMENT:** —

[^ Back to TOC ^](#)



## BENE\_ID

**LABEL:** Encrypted CCW Beneficiary Identifier

**DESCRIPTION:** Encrypted CCW beneficiary identifier.

**LONG NAME:** BENE\_ID

**TYPE:** CHAR

**LENGTH:** 15

**SOURCE:** AHC data system/CCW (derived)

**VALUES:** 15-character alphanumeric string (Ex. 22222222GDDGjJs)  
Null/missing = not enough identifying information to associate with a CCW BENE\_ID

**COMMENT:** The AHC Bridge organizations obtained Medicare beneficiary identifying information (e.g., Medicare ID card [i.e. Health Insurance Claim Number or HIC, first and last name, date of birth]) that the CMS AHC Model used to identify a CCW BENE\_ID using an internal “crosswalk” process. A BENE\_ID was not always obtained.

The BENE\_ID is specific to the CCW and is not applicable to any other identification system or data source.

Within the AHC data file, unique beneficiaries are identified using the AHC\_BENE\_ID. You would only use the BENE\_ID or MSIS\_ID if you were attempting to link AHC data to other CCW data files.

[^ Back to TOC ^](#)

## BENE\_INCM\_RNG\_CD

**LABEL:** Beneficiary Income

**DESCRIPTION:** Beneficiary income range code.

**LONG NAME:** BENE\_INCM\_RNG\_CD

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system

**VALUES:** 1 = Less than \$10,000  
2 = \$10,000 - \$14,999  
3 = \$15,000 - \$19,999  
4 = \$20,000 - \$24,999  
5 = \$25,000 - \$34,999  
6 = \$35,000 - \$49,999  
7 = \$50,000 - \$74,999  
8 = \$75,000 or more  
Missing

**COMMENT:** More than half (54%) of screenings have a missing value.

[^ Back to TOC ^](#)

## **BENE\_INSRNC\_TYPE\_CD**

**LABEL:** Beneficiary Payer Type

**DESCRIPTION:** Beneficiary payer type code.

**LONG NAME:** BENE\_INSRNC\_TYPE\_CD

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system  
CCW

**VALUES:** 1 = Medicare only  
2 = Medicaid only  
3 = Dually eligible for Medicare and Medicaid  
Missing

**COMMENT:** —

[^ Back to TOC ^](#)

## BENE\_PREFRD\_LANG\_TXT

**LABEL:** Beneficiary Preferred Language

**DESCRIPTION:** Beneficiary preferred language.

**LONG NAME:** BENE\_PREFRD\_LANG\_TXT

**TYPE:** CHAR

**LENGTH:** 15

**SOURCE:** AHC data system

**VALUES:**

Arabic	Other
Armenian	Persian
Chinese	Polish
English	Portuguese
French	Russian
German	Serbo-Croatian
Greek	Spanish
Gujarati	Tagalog
Hebrew	Thai
Hindi	Urdu
Italian	Vietnamese
Japanese	Yiddish
Khmer	Missing
Korean	

**COMMENT:** This field is populated with the full name of the language rather than an abbreviation. This field was added to the AHC data system in 2021, 3 years after bridge organizations began screening, and is missing for 76% of screenings.

[^ Back to TOC ^](#)

## BENE\_RACE\_ETHNCTY\_CD

**LABEL:** Beneficiary Race and Ethnicity

**DESCRIPTION:** Beneficiary race and ethnicity code.

**LONG NAME:** BENE\_RACE\_ETHNCTY\_CD

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system  
CCW

**VALUES:** 1 = American Indian or Alaska Native  
2 = Asian or Hawaiian or Other Pacific Islander  
3 = Black or African American  
4 = Hispanic or Latino  
5 = White  
6 = Other Race  
Null/Missing

**COMMENT:** If the beneficiary was successfully linked to Medicare claims data, race and ethnicity from the Medicare enrollment files was used. If the beneficiary was linked to Medicaid claims data, but not Medicare claims data, race and ethnicity from the Medicaid enrollment files was used. If the beneficiary was not linked to either Medicare or Medicaid claims data, race and ethnicity from the AHC screening and navigation data was used.

[^ Back to TOC ^](#)

## BENE\_STATE\_CD

**LABEL:** Beneficiary State

**DESCRIPTION:** The state code for the beneficiary.

**LONG NAME:** BENE\_STATE\_CD

**TYPE:** CHAR

**LENGTH:** 2

**SOURCE:** AHC data system

**VALUES:** Two-character postal state code  
AE = US Armed Forces in Europe, the Middle East, Africa and Canada  
AK = Alaska  
AL = Alabama  
AR = Arkansas  
AS = American Samoa  
AZ = Arizona  
CA = California  
CO = Colorado  
CT = Connecticut  
DC = District of Columbia  
DE = Delaware  
FL = Florida  
GA = Georgia  
HI = Hawaii  
IA = Iowa  
ID = Idaho  
IL = Illinois  
IN = Indiana  
KS = Kansas  
KY = Kentucky  
LA = Louisiana  
MA = Massachusetts  
MD = Maryland  
ME = Maine  
MI = Michigan  
MN = Minnesota  
MO = Missouri  
MP = Northern Mariana Islands  
MS = Mississippi

MT = Montana  
NC = North Carolina  
ND = North Dakota  
NE = Nebraska  
NH = New Hampshire  
NJ = New Jersey  
NM = New Mexico  
NV = Nevada  
NY = New York  
OH = Ohio  
OK = Oklahoma  
OR = Oregon  
PA = Pennsylvania  
PR = Puerto Rico  
RI = Rhode Island  
SC = South Carolina  
SD = South Dakota  
TN = Tennessee  
TX = Texas  
UT = Utah  
VA = Virginia  
VI = Virgin Islands  
VT = Vermont  
WA = Washington  
WI = Wisconsin  
WV = West Virginia  
WY = Wyoming  
Null = Unknown

**COMMENT:** A small number of beneficiaries did not live in the same state as the bridge organization by which they were screened.

[^ Back to TOC ^](#)

## **BENE\_ZIP\_CD**

**LABEL:** Beneficiary ZIP Code

**DESCRIPTION:** Beneficiary ZIP code.

**LONG NAME:** BENE\_ZIP\_CD

**TYPE:** CHAR

**LENGTH:** 5

**SOURCE:** AHC data system

**VALUES:** —

**COMMENT:** —

[^ Back to TOC ^](#)

## MSIS\_ID

<b>LABEL:</b>	Encrypted Medicaid State Assigned Beneficiary Unique Identifier
<b>DESCRIPTION:</b>	A state-assigned unique identification number used to identify a Medicaid/CHIP enrolled beneficiary and any claims submitted to the system. Also referred to as the Medicaid Statistical Information System Identifier (MSIS_ID). Encrypted Medicaid state-assigned beneficiary unique identifier.
<b>LONG NAME:</b>	MSIS_ID
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	32
<b>SOURCE:</b>	AHC data system CCW (derived)
<b>VALUES:</b>	Alphanumeric character string, up to 20 characters (Ex. 9Q81866B302C768A539B) Null/missing = source value is missing or unknown
<b>COMMENT:</b>	<p>The AHC Bridge organizations obtained Medicaid beneficiary identifying information (e.g., Medicaid ID card, state, zip code, first and last name, date of birth) that the CMS AHC Model used to join to the CCW MSIS_ID in the Transformed Medicaid Statistical Information System (T-MSIS) Analytic Files (TAF) (or in the Medicaid Analytic eXtract (MAX) files for applicable states for 2015 – which is part of a 3-year look back period for the AHC Model). An MSIS_ID was not always obtained.</p> <p>Within the AHC data file, unique beneficiaries are identified using the AHC_BENE_ID. You would only use the BENE_ID or MSIS_ID if you were attempting to link AHC data to other CCW data files. For these linkages, MSIS_ID must be combined with STATE_CD to uniquely identify a beneficiary. The reference year (MSIS_RFRNC_YR) field identifies the earliest year the MSIS_ID was identified during the AHC study period.</p> <p>This variable is encrypted in the CCW and may not be joined to any other data sets without CMS permission.</p>

[^ Back to TOC ^](#)



## MSIS\_RFRNC\_YR

<b>LABEL:</b>	Medicaid Beneficiary Identifier Reference Year
<b>DESCRIPTION:</b>	Year the MSIS_ID in the AHC file was found in the T-MSIS claims.
<b>LONG NAME:</b>	MSIS_RFRNC_YR
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	4
<b>SOURCE:</b>	CCW
<b>VALUES:</b>	2018–2022, or Null/missing = MSIS_ID was not found in T-MSIS or beneficiary was enrolled in Medicare only and not Medicaid
<b>COMMENT:</b>	Earliest year associated with the MSIS_ID for the beneficiary during the AHC study period.

[^ Back to TOC ^](#)

## NC\_NVGTN\_ACTN\_PLAN\_CMPLT\_SW

<b>LABEL:</b>	Navigation Case Action Plan Complete Indicator
<b>DESCRIPTION:</b>	Navigation case (NC) action plan complete indicator. This field indicates whether a navigator developed a personalized action plan for addressing HRSNs with the beneficiary who opted in for navigation services.
<b>LONG NAME:</b>	NC_NVGTN_ACTN_PLAN_CMPLT_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	This was not a required field until October 2019, so if a beneficiary has a missing value, it does not necessarily mean the navigator did not work with the beneficiary to complete a personalized action plan. It is possible the navigator and beneficiary completed the personalized action plan but did not document it in the AHC data system.

[^ Back to TOC ^](#)

## NC\_NVGTN\_CASE\_ID

**LABEL:** Navigation Case Unique Identifier

**DESCRIPTION:** Navigation case (NC) standardized nine-digit unique navigation case identifier.

**LONG NAME:** NC\_NVGTN\_CASE\_ID

**TYPE:** CHAR

**LENGTH:** 9

**SOURCE:** AHC data system (derived)

**VALUES:** Alphanumeric character string that contains intelligence (e.g., 323006639 is the 6,639th navigation case for the AHC bridge organization B23).

The first digit is always 3, then the 2<sup>nd</sup> and 3<sup>rd</sup> digits are the numeric portion of the bridge organization identifier (i.e., the “B” from the bridge organization ID is replaced with a “3”). The remaining 6 digits are sequential numbers representing the navigation cases within the bridge organization.

**COMMENT:** For each navigation-eligible beneficiary who opted in for navigation, the bridge organization opened a “navigation case,” assigned a case ID. The bridge organization provided navigation services for up to 12 months.

This ID is specific to the AHC Model and does not link to any other CMS data file or system.

[^ Back to TOC ^](#)

## NC\_NVGTN\_CASE\_STRT\_DT

<b>LABEL:</b>	Navigation Case Opt In Date
<b>DESCRIPTION:</b>	Navigation case (NC) opt in date.
<b>LONG NAME:</b>	NC_NVGTN_CASE_STRT_DT
<b>TYPE:</b>	DATE
<b>LENGTH:</b>	8
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	Format: DDMONYYYY (e.g., 21DEC2019)
<b>COMMENT:</b>	Dates are from May 3, 2018–April 24, 2023.

For each navigation-eligible beneficiary who opted in for and received navigation services (i.e., non-missing NC\_NVGTN\_CASE\_ID), this field indicates the date the navigation case was opened. Toward the end of the model, CMS advised bridge organizations to try to provide at least 3 months of navigation to those who opted in for navigation services.

[^ Back to TOC ^](#)

## NC\_NVGTN\_CASE\_TRMNTN\_DT

<b>LABEL:</b>	Navigation Case termination date
<b>DESCRIPTION:</b>	Navigation case (NC) termination date.
<b>LONG NAME:</b>	NC_NVGTN_CASE_TRMNTN_DT
<b>TYPE:</b>	DATE
<b>LENGTH:</b>	8
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	Format: DDMONYYYY (e.g., 20DEC2020)
<b>COMMENT:</b>	Dates are from October 8, 2018–April 3, 2023

For each navigation-eligible beneficiary who was eligible for navigation and who opted in for and received navigation (i.e., non-missing NC\_NVGTN\_CASE\_ID), this field indicates the date the navigation case terminated. Toward the end of the model, CMS advised bridge organizations to try to provide at least 3 months of navigation to those who opted in for navigation services. The termination dates for any navigation cases still open when the bridge organization ended participation were set to the last day of the bridge organization's participation (reference Appendix B in the *AHC User Guide* for start and end dates for each bridge organization).

[^ Back to TOC ^](#)

## NE\_NVGTR\_AVG\_CNTCT\_MNTS\_NUM

<b>LABEL:</b>	Average duration of successful contacts with beneficiary
<b>DESCRIPTION:</b>	Navigator event (NE) summarizing the average duration (in minutes) of successful contacts between the navigator and the beneficiary.
<b>LONG NAME:</b>	NE_NVGTR_AVG_CNTCT_MNTS_NUM
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	5
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	FORMAT: XX.XX (e.g., 5.91, 15.00), expressed in minutes Missing
<b>COMMENT:</b>	Range is from 5–30 minutes. The values for the raw variable were 5 minutes, 15 minutes, 30 minutes, and more than 30 minutes. Values of more than 30 minutes were coded as 30 minutes. CMS did not require bridge organizations to report navigation contacts in the AHC data system, so NE_NVGTR_AVG_CNTCT_MNTS_NUM may not reflect the duration of all contacts for all beneficiaries navigated across all bridge organizations.

[^ Back to TOC ^](#)

## NE\_NVGTR\_CNTCT\_ATMPT\_NUM

<b>LABEL:</b>	Number of navigator attempts to contact beneficiary (successful or not)
<b>DESCRIPTION:</b>	Navigator event (NE) summarizing the total number of navigator attempts to contact beneficiary (successful or not).
<b>LONG NAME:</b>	NE_NVGTR_CNTCT_ATMPT_NUM
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	2
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	1–67 Missing
<b>COMMENT:</b>	CMS did not require bridge organizations to report navigation contacts in the AHC data system, so NE_NVGTR_CNTCT_ATMPT_NUM may not reflect all attempts at contacting beneficiaries navigated across all bridge organizations.

[^ Back to TOC ^](#)

## NE\_NVGTR\_SUCSFL\_CNTCT\_NUM

<b>LABEL:</b>	Number of navigator successful contacts with beneficiary
<b>DESCRIPTION:</b>	Navigator event (NE) summarizing the total number of navigator successful contacts with beneficiary.
<b>LONG NAME:</b>	NE_NVGTR_SUCSFL_CNTCT_NUM
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	2
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0–57 Missing
<b>COMMENT:</b>	CMS did not require bridge organizations to report navigation contacts in the AHC Data System, so NE_NVGTR_SUCSFL_CNTCT_NUM may not reflect all successful contacts for all beneficiaries navigated across all bridge organizations.

[^ Back to TOC ^](#)



## NN\_CORE\_1\_CNCTED\_TO\_CSP\_SW

<b>LABEL:</b>	At Least 1 Core HRSN Connected to CSP, None Resolved
<b>DESCRIPTION:</b>	Navigation needs (NN): beneficiary had at least one navigated core health related social need (HRSN) connected to community service providers (CSPs); none resolved.
<b>LONG NAME:</b>	NN_CORE_1_CNCTED_TO_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Whether the beneficiary had at least one HRSN resolved (NN_CORE_1_RSLVD_SW) or connected with a CSP for at least one of their navigated HRSNs but had no HRSNs resolved (NN_CORE_1_CNCTED_TO_CSP_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_1\_RSLVD\_SW

**LABEL:** At Least 1 Core HRSN Resolved

**DESCRIPTION:** Navigation needs (NN): beneficiary had at least one navigated core health related social need (HRSN) resolved

**LONG NAME:** NN\_CORE\_1\_RSLVD\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

Whether the beneficiary had at least one HRSN resolved (NN\_CORE\_1\_RSLVD\_SW) or connected with a community service provider (CSP) for at least one of their navigated HRSNs but had no HRSNs resolved (NN\_CORE\_1\_CNCTED\_TO\_CSP\_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_ALL\_CNCTED\_TO\_CSP\_SW

<b>LABEL:</b>	All Core HRSNs: Connected to CSP
<b>DESCRIPTION:</b>	Navigation needs (NN): all navigated core health related social needs (HRSNs) connected to community service provider (CSP).
<b>LONG NAME:</b>	NN_CORE_ALL_CNCTED_TO_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables with “ALL” in the name (i.e., NN_CORE_ALL_RSLVD_SW, NN_CORE_ALL_CNCTED_TO_CSP_SW, NN_CORE_ALL_OPTOUT_NVGTN_SW, NN_CORE_ALL_OUTRCH_ATMPT_FAIL_SW, NN_CORE_ALL_CSP_UNAVLBL_SW, and NN_CORE_ALL_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## **NN\_CORE\_ALL\_CSP\_UNAVLBL\_SW**

<b>LABEL:</b>	All Core HRSNs: CSP Unavailable or Unable to Help
<b>DESCRIPTION:</b>	Navigation needs (NN): all navigated core health related social needs (HRSNs) community service provider (CSP) unavailable or unable to help.
<b>LONG NAME:</b>	NN_CORE_ALL_CSP_UNAVLBL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables with “ALL” in the name (i.e., NN_CORE_ALL_RSLVD_SW, NN_CORE_ALL_CNCTED_TO_CSP_SW, NN_CORE_ALL_OPTOUT_NVGTN_SW, NN_CORE_ALL_OUTRCH_ATMPT_FAIL_SW, NN_CORE_ALL_CSP_UNAVLBL_SW, and NN_CORE_ALL_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_ALL\_OPTOUT\_NVGTN\_SW

<b>LABEL:</b>	All Core HRSNs: Opted Out of Further Navigation Services
<b>DESCRIPTION:</b>	Navigation needs (NN): all navigated core health related social needs (HRSNs); opted out of further navigation services.
<b>LONG NAME:</b>	NN_CORE_ALL_OPTOUT_NVGTN_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables with “ALL” in the name (i.e., NN_CORE_ALL_RSLVD_SW, NN_CORE_ALL_CNCTED_TO_CSP_SW, NN_CORE_ALL_OPTOUT_NVGTN_SW, NN_CORE_ALL_OUTRCH_ATMPT_FAIL_SW, NN_CORE_ALL_CSP_UNAVLBL_SW, and NN_CORE_ALL_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## **NN\_CORE\_ALL\_OUTCM\_UNK\_SW**

**LABEL:** All Core HRSNs: Outcome Unknown

**DESCRIPTION:** Navigation needs (NN): all navigated core health related social needs (HRSNs); outcome unknown.

**LONG NAME:** NN\_CORE\_ALL\_OUTCM\_UNK\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

Navigation outcome variables with “ALL” in the name (i.e., NN\_CORE\_ALL\_RSLVD\_SW, NN\_CORE\_ALL\_CNCTED\_TO\_CSP\_SW, NN\_CORE\_ALL\_OPTOUT\_NVGTN\_SW, NN\_CORE\_ALL\_OUTRCH\_ATMPT\_FAIL\_SW, NN\_CORE\_ALL\_CSP\_UNAVLBL\_SW, and NN\_CORE\_ALL\_OUTCM\_UNK\_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_ALL\_OUTRCH\_ATMPT\_FAIL\_SW

<b>LABEL:</b>	All Core HRSNs: Attempt to Reach Failed
<b>DESCRIPTION:</b>	Navigation needs (NN): all navigated core health related social needs (HRSNs); attempt to reach failed.
<b>LONG NAME:</b>	NN_CORE_ALL_OUTRCH_ATMPT_FAIL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables with “ALL” in the name (i.e., NN_CORE_ALL_RSLVD_SW, NN_CORE_ALL_CNCTED_TO_CSP_SW, NN_CORE_ALL_OPTOUT_NVGTN_SW, NN_CORE_ALL_OUTRCH_ATMPT_FAIL_SW, NN_CORE_ALL_CSP_UNAVLBL_SW, and NN_CORE_ALL_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_ALL\_RSLVD\_SW

<b>LABEL:</b>	All Core HRSNs Resolved
<b>DESCRIPTION:</b>	Navigation needs (NN): all navigated core health related social needs (HRSNs) resolved.
<b>LONG NAME:</b>	NN_CORE_ALL_RSLVD_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables with “ALL” in the name (i.e., NN_CORE_ALL_RSLVD_SW, NN_CORE_ALL_CNCTED_TO_CSP_SW, NN_CORE_ALL_OPTOUT_NVGTN_SW, NN_CORE_ALL_OUTRCH_ATMPT_FAIL_SW, NN_CORE_ALL_CSP_UNAVLBL_SW, and NN_CORE_ALL_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)



## NN\_CORE\_FOOD\_CNCT\_CSP\_SW

<b>LABEL:</b>	Navigated Core HRSN Food Connected to Community Service Provider
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social needs (HRSNs) food connected to community service provider (CSP).
<b>LONG NAME:</b>	NN_CORE_FOOD_CNCT_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the food HRSN (i.e., NN_CORE_FOOD_RSLVD_SW, NN_CORE_FOOD_CNCT_CSP_SW, NN_CORE_FOOD_OPTOUT_SW, NN_CORE_FOOD_CNTCT_FAIL_SW, NN_CORE_FOOD_CSP_UNAVBL_SW, and NN_CORE_FOOD_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_FOOD\_CNTCT\_FAIL\_SW

<b>LABEL:</b>	Navigated Core HRSN Food Attempts to Reach Failed
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) food attempts to reach failed.
<b>LONG NAME:</b>	NN_CORE_FOOD_CNTCT_FAIL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the food HRSN (i.e., NN_CORE_FOOD_RSLVD_SW, NN_CORE_FOOD_CNCT_CSP_SW, NN_CORE_FOOD_OPTOUT_SW, NN_CORE_FOOD_CNTCT_FAIL_SW, NN_CORE_FOOD_CSP_UNAVBL_SW, and NN_CORE_FOOD_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_FOOD\_CSP\_UNAVBL\_SW

<b>LABEL:</b>	Navigated Core HRSN Food Community Service Provider Unable to Help
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) food community service provider (CSP) unavailable or unable to help.
<b>LONG NAME:</b>	NN_CORE_FOOD_CSP_UNAVBL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

Navigation outcome variables the food HRSN (i.e., NN\_CORE\_FOOD\_RSLVD\_SW, NN\_CORE\_FOOD\_CNCT\_CSP\_SW, NN\_CORE\_FOOD\_OPTOUT\_SW, NN\_CORE\_FOOD\_CNTCT\_FAIL\_SW, NN\_CORE\_FOOD\_CSP\_UNAVBL\_SW, and NN\_CORE\_FOOD\_OUTCM\_UNK\_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_FOOD\_OPTOUT\_SW

<b>LABEL:</b>	Navigated Core HRSN Food Opted Out
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) food opted out of further navigation services.
<b>LONG NAME:</b>	NN_CORE_FOOD_OPTOUT_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the food HRSN (i.e., NN_CORE_FOOD_RSLVD_SW, NN_CORE_FOOD_CNCT_CSP_SW, NN_CORE_FOOD_OPTOUT_SW, NN_CORE_FOOD_CNTCT_FAIL_SW, NN_CORE_FOOD_CSP_UNAVBL_SW, and NN_CORE_FOOD_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## **NN\_CORE\_FOOD\_OUTCM\_UNK\_SW**

<b>LABEL:</b>	Navigated Core HRSN Food Outcome Unknown
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) food outcome unknown.
<b>LONG NAME:</b>	NN_CORE_FOOD_OUTCM_UNK_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the food HRSN (i.e., NN_CORE_FOOD_RSLVD_SW, NN_CORE_FOOD_CNCT_CSP_SW, NN_CORE_FOOD_OPTOUT_SW, NN_CORE_FOOD_CNTCT_FAIL_SW, NN_CORE_FOOD_CSP_UNAVBL_SW, and NN_CORE_FOOD_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## **NN\_CORE\_FOOD\_RSLVD\_SW**

**LABEL:** Navigated Core HRSN Food Resolved

**DESCRIPTION:** Navigation needs (NN): navigated core health related social need (HRSN) food resolved.

**LONG NAME:** NN\_CORE\_FOOD\_RSLVD\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

Navigation outcome variables the food HRSN (i.e., NN\_CORE\_FOOD\_RSLVD\_SW, NN\_CORE\_FOOD\_CNCT\_CSP\_SW, NN\_CORE\_FOOD\_OPTOUT\_SW, NN\_CORE\_FOOD\_CNTCT\_FAIL\_SW, NN\_CORE\_FOOD\_CSP\_UNAVBL\_SW, and NN\_CORE\_FOOD\_OUTCM\_UNK\_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_HOUSNG\_CNCT\_CSP\_SW

<b>LABEL:</b>	Navigated Core HRSN Housing Connected to Community Service Provider
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) housing connected to community service provider (CSP).
<b>LONG NAME:</b>	NN_CORE_HOUSNG_CNCT_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the housing HRSN (i.e., NN_CORE_HOUSNG_RSLVD_SW, NN_CORE_HOUSNG_CNCT_CSP_SW, NN_CORE_HOUSNG_OPTOUT_SW, NN_CORE_HOUSNG_CNTCT_FAIL_SW, NN_CORE_HOUSNG_CSP_UNAVBL_SW, and NN_CORE_HOUSNG_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_HOUSNG\_CNTCT\_FAIL\_SW

<b>LABEL:</b>	Navigated Core HRSN Housing Attempts to Reach Failed
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) housing attempts to reach failed.
<b>LONG NAME:</b>	NN_CORE_HOUSNG_CNTCT_FAIL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the housing HRSN (i.e., NN_CORE_HOUSNG_RSLVD_SW, NN_CORE_HOUSNG_CNCT_CSP_SW, NN_CORE_HOUSNG_OPTOUT_SW, NN_CORE_HOUSNG_CNTCT_FAIL_SW, NN_CORE_HOUSNG_CSP_UNAVBL_SW, and NN_CORE_HOUSNG_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)



## NN\_CORE\_HOUSNG\_CSP\_UNAVBL\_SW

<b>LABEL:</b>	Navigated Core HRSN Housing Community Service Provider Unable to Help
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) housing community service provider (CSP) unavailable or unable to help.
<b>LONG NAME:</b>	NN_CORE_HOUSNG_CSP_UNAVBL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the housing HRSN (i.e., NN_CORE_HOUSNG_RSLVD_SW, NN_CORE_HOUSNG_CNCT_CSP_SW, NN_CORE_HOUSNG_OPTOUT_SW, NN_CORE_HOUSNG_CNTCT_FAIL_SW, NN_CORE_HOUSNG_CSP_UNAVBL_SW, and NN_CORE_HOUSNG_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_HOUSNG\_OPTOUT\_SW

<b>LABEL:</b>	Navigated Core HRSN Housing Opted Out
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) housing opted out of further navigation services.
<b>LONG NAME:</b>	NN_CORE_HOUSNG_OPTOUT_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the housing HRSN (i.e., NN_CORE_HOUSNG_RSLVD_SW, NN_CORE_HOUSNG_CNCT_CSP_SW, NN_CORE_HOUSNG_OPTOUT_SW, NN_CORE_HOUSNG_CNTCT_FAIL_SW, NN_CORE_HOUSNG_CSP_UNAVBL_SW, and NN_CORE_HOUSNG_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_HOUSNG\_OUTCM\_UNK\_SW

**LABEL:** Navigated Core HRSN Housing Outcome Unknown

**DESCRIPTION:** Navigation needs (NN): navigated core health related social need (HRSN) housing outcome unknown.

**LONG NAME:** NN\_CORE\_HOUSNG\_OUTCM\_UNK\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

Navigation outcome variables the housing HRSN (i.e., NN\_CORE\_HOUSNG\_RSLVD\_SW, NN\_CORE\_HOUSNG\_CNCT\_CSP\_SW, NN\_CORE\_HOUSNG\_OPTOUT\_SW, NN\_CORE\_HOUSNG\_CNTCT\_FAIL\_SW, NN\_CORE\_HOUSNG\_CSP\_UNAVBL\_SW, and NN\_CORE\_HOUSNG\_OUTCM\_UNK\_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_HOUSNG\_RSLVD\_SW

**LABEL:** Navigated Core HRSN Housing Resolved

**DESCRIPTION:** Navigation needs (NN): navigated core health related social need (HRSN) housing resolved.

**LONG NAME:** NN\_CORE\_HOUSNG\_RSLVD\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

Navigation outcome variables the housing HRSN (i.e., NN\_CORE\_HOUSNG\_RSLVD\_SW, NN\_CORE\_HOUSNG\_CNCT\_CSP\_SW, NN\_CORE\_HOUSNG\_OPTOUT\_SW, NN\_CORE\_HOUSNG\_CNTCT\_FAIL\_SW, NN\_CORE\_HOUSNG\_CSP\_UNAVBL\_SW, and NN\_CORE\_HOUSNG\_OUTCM\_UNK\_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_SFTY\_CNCT\_CSP\_SW

<b>LABEL:</b>	Navigated Core HRSN Safety Connected to Community Service Provider
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) safety connected to community service provider (CSP).
<b>LONG NAME:</b>	NN_CORE_SFTY_CNCT_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the safety HRSN (i.e., NN_CORE_SFTY_RSLVD_SW, NN_CORE_SFTY_CNCT_CSP_SW, NN_CORE_SFTY_OPTOUT_SW, NN_CORE_SFTY_CNTCT_FAIL_SW, NN_CORE_SFTY_CSP_UNAVBL_SW, and NN_CORE_SFTY_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## **NN\_CORE\_SFTY\_CNTCT\_FAIL\_SW**

<b>LABEL:</b>	Navigated Core HRSN Safety Attempts to Reach Failed
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) safety attempts to reach failed.
<b>LONG NAME:</b>	NN_CORE_SFTY_CNTCT_FAIL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the safety HRSN (i.e., NN_CORE_SFTY_RSLVD_SW, NN_CORE_SFTY_CNCT_CSP_SW, NN_CORE_SFTY_OPTOUT_SW, NN_CORE_SFTY_CNTCT_FAIL_SW, NN_CORE_SFTY_CSP_UNAVBL_SW, and NN_CORE_SFTY_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_SFTY\_CSP\_UNAVBL\_SW

<b>LABEL:</b>	Navigated Core HRSN Safety Community Service Provider Unable to Help
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) safety community service provider (CSP) unavailable or unable to help.
<b>LONG NAME:</b>	NN_CORE_SFTY_CSP_UNAVBL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the safety HRSN (i.e., NN_CORE_SFTY_RSLVD_SW, NN_CORE_SFTY_CNCT_CSP_SW, NN_CORE_SFTY_OPTOUT_SW, NN_CORE_SFTY_CNTCT_FAIL_SW, NN_CORE_SFTY_CSP_UNAVBL_SW, and NN_CORE_SFTY_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## **NN\_CORE\_SFTY\_OPTOUT\_SW**

**LABEL:** Navigated Core HRSN Safety Opted Out

**DESCRIPTION:** Navigation needs (NN): navigated core health related social need (HRSN) safety opted out.

**LONG NAME:** NN\_CORE\_SFTY\_OPTOUT\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

Navigation outcome variables the safety HRSN (i.e., NN\_CORE\_SFTY\_RSLVD\_SW, NN\_CORE\_SFTY\_CNCT\_CSP\_SW, NN\_CORE\_SFTY\_OPTOUT\_SW, NN\_CORE\_SFTY\_CNTCT\_FAIL\_SW, NN\_CORE\_SFTY\_CSP\_UNAVBL\_SW, and NN\_CORE\_SFTY\_OUTCM\_UNK\_SW) are mutually exclusive.

[^ Back to TOC ^](#)



## NN\_CORE\_SFTY\_OUTCM\_UNK\_SW

<b>LABEL:</b>	Navigated Core HRSN Safety Outcome Unknown
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) safety outcome unknown.
<b>LONG NAME:</b>	NN_CORE_SFTY_OUTCM_UNK_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the safety HRSN (i.e., NN_CORE_SFTY_RSLVD_SW, NN_CORE_SFTY_CNCT_CSP_SW, NN_CORE_SFTY_OPTOUT_SW, NN_CORE_SFTY_CNTCT_FAIL_SW, NN_CORE_SFTY_CSP_UNAVBL_SW, and NN_CORE_SFTY_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## **NN\_CORE\_SFTY\_RSLVD\_SW**

**LABEL:** Navigated Core HRSN Safety Resolved

**DESCRIPTION:** Navigation needs (NN): navigated core health related social need (HRSN) safety resolved.

**LONG NAME:** NN\_CORE\_SFTY\_RSLVD\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

Navigation outcome variables the safety HRSN (i.e., NN\_CORE\_SFTY\_RSLVD\_SW, NN\_CORE\_SFTY\_CNCT\_CSP\_SW, NN\_CORE\_SFTY\_OPTOUT\_SW, NN\_CORE\_SFTY\_CNTCT\_FAIL\_SW, NN\_CORE\_SFTY\_CSP\_UNAVBL\_SW, and NN\_CORE\_SFTY\_OUTCM\_UNK\_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_TRANSPRTN\_CNCT\_CSP\_SW

<b>LABEL:</b>	Navigated Core HRSN Transportation Connected to Community Service Provider
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) transportation connected to community service provider (CSP).
<b>LONG NAME:</b>	NN_CORE_TRANSPRTN_CNCT_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the transportation HRSN (i.e., NN_CORE_TRANSPRTN_RSLVD_SW, NN_CORE_TRANSPRT_CNCT_CSP_SW, NN_CORE_TRANSPRTN_OPTOUT_SW, NN_CORE_TRANSPRTN_CNTCT_FAIL_SW, NN_CORE_TRANSPRTN_CSP_UNAVBL_SW, and NN_CORE_TRANSPRTN_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## **NN\_CORE\_TRNSPRTN\_CNTCT\_FAIL\_SW**

<b>LABEL:</b>	Navigated Core HRSN Transportation Attempts to Reach Failed
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) transportation attempts to reach failed.
<b>LONG NAME:</b>	NN_CORE_TRNSPRTN_CNTCT_FAIL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the transportation HRSN (i.e., NN_CORE_TRNSPRTN_RSLVD_SW, NN_CORE_TRNSPRT_CNCT_CSP_SW, NN_CORE_TRNSPRTN_OPTOUT_SW, NN_CORE_TRNSPRTN_CNTCT_FAIL_SW, NN_CORE_TRNSPRTN_CSP_UNAVBL_SW, and NN_CORE_TRNSPRTN_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_TRNSPRTN\_CSP\_UNAVBL\_SW

<b>LABEL:</b>	Navigated Core HRSN Transportation Community Service Provider Unable to Help
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) transportation community service provider (CSP) unavailable or unable to help.
<b>LONG NAME:</b>	NN_CORE_TRNSPRTN_CSP_UNAVBL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the transportation HRSN (i.e., NN_CORE_TRNSPRTN_RSLVD_SW, NN_CORE_TRNSPRT_CNCT_CSP_SW, NN_CORE_TRNSPRTN_OPTOUT_SW, NN_CORE_TRNSPRTN_CNTCT_FAIL_SW, NN_CORE_TRNSPRTN_CSP_UNAVBL_SW, and NN_CORE_TRNSPRTN_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## **NN\_CORE\_TRNSPRTN\_OPTOUT\_SW**

**LABEL:** Navigated Core HRSN Transportation Opted Out

**DESCRIPTION:** Navigation needs (NN): navigated core health related social need (HRSN) transportation opted out of further navigation services.

**LONG NAME:** NN\_CORE\_TRNSPRTN\_OPTOUT\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

Navigation outcome variables the transportation HRSN (i.e., NN\_CORE\_TRNSPRTN\_RSLVD\_SW, NN\_CORE\_TRNSPRT\_CNCT\_CSP\_SW, NN\_CORE\_TRNSPRTN\_OPTOUT\_SW, NN\_CORE\_TRNSPRTN\_CNTCT\_FAIL\_SW, NN\_CORE\_TRNSPRTN\_CSP\_UNAVBL\_SW, and NN\_CORE\_TRNSPRTN\_OUTCM\_UNK\_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_TRNSPRTN\_OUTCM\_UNK\_SW

<b>LABEL:</b>	Navigated Core HRSN Transportation Outcome Unknown
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) transportation outcome unknown.
<b>LONG NAME:</b>	NN_CORE_TRNSPRTN_OUTCM_UNK_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the transportation HRSN (i.e., NN_CORE_TRNSPRTN_RSLVD_SW, NN_CORE_TRNSPRT_CNCT_CSP_SW, NN_CORE_TRNSPRTN_OPTOUT_SW, NN_CORE_TRNSPRTN_CNTCT_FAIL_SW, NN_CORE_TRNSPRTN_CSP_UNAVBL_SW, and NN_CORE_TRNSPRTN_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_TRANSPRTN\_RSLVD\_SW

<b>LABEL:</b>	Navigated Core HRSN Transportation Resolved
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) transportation resolved.
<b>LONG NAME:</b>	NN_CORE_TRANSPRTN_RSLVD_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the transportation HRSN (i.e., NN_CORE_TRANSPRTN_RSLVD_SW, NN_CORE_TRANSPRT_CNCT_CSP_SW, NN_CORE_TRANSPRTN_OPTOUT_SW, NN_CORE_TRANSPRTN_CNTCT_FAIL_SW, NN_CORE_TRANSPRTN_CSP_UNAVBL_SW, and NN_CORE_TRANSPRTN_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)



## NN\_CORE\_UTILITIES\_CNCT\_CSP\_SW

<b>LABEL:</b>	Navigated Core HRSN Utilities Connected to Community Service Provider
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) utilities connected to community service provider (CSP).
<b>LONG NAME:</b>	NN_CORE_UTILITIES_CNCT_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the utility HRSN (i.e., NN_CORE_UTILITIES_RSLVD_SW, NN_CORE_UTILITIES_CNCT_CSP_SW, NN_CORE_UTILITIES_OPTOUT_SW, NN_CORE_UTILITIES_CNTCT_FAIL_SW, NN_CORE_UTILITIES_CSP_UNAVBL_SW, and NN_CORE_UTILITIES_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_UTILITIES\_CNTCT\_FAIL\_SW

<b>LABEL:</b>	Navigated Core HRSN Utilities Attempts to Reach Failed
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) utilities attempts to reach failed.
<b>LONG NAME:</b>	NN_CORE_UTILITIES_CNTCT_FAIL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the utility HRSN (i.e., NN_CORE_UTILITIES_RSLVD_SW, NN_CORE_UTILITIES_CNCT_CSP_SW, NN_CORE_UTILITIES_OPTOUT_SW, NN_CORE_UTILITIES_CNTCT_FAIL_SW, NN_CORE_UTILITIES_CSP_UNAVBL_SW, and NN_CORE_UTILITIES_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_UTILITIES\_CSP\_UNAVBL\_SW

<b>LABEL:</b>	Navigated Core HRSN Utilities Community Service Provider Unable to Help
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) utilities community service provider (CSP) unavailable or unable to help.
<b>LONG NAME:</b>	NN_CORE_UTILITIES_CSP_UNAVBL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the utility HRSN (i.e., NN_CORE_UTILITIES_RSLVD_SW, NN_CORE_UTILITIES_CNCT_CSP_SW, NN_CORE_UTILITIES_OPTOUT_SW, NN_CORE_UTILITIES_CNTCT_FAIL_SW, NN_CORE_UTILITIES_CSP_UNAVBL_SW, and NN_CORE_UTILITIES_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## NN\_CORE\_UTILITIES\_OPTOUT\_SW

<b>LABEL:</b>	Navigated Core HRSN Utilities Opted Out
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) utilities opted out of further navigation services.
<b>LONG NAME:</b>	NN_CORE_UTILITIES_OPTOUT_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.  Navigation outcome variables the utility HRSN (i.e., NN_CORE_UTILITIES_RSLVD_SW, NN_CORE_UTILITIES_CNCT_CSP_SW, NN_CORE_UTILITIES_OPTOUT_SW, NN_CORE_UTILITIES_CNTCT_FAIL_SW, NN_CORE_UTILITIES_CSP_UNAVBL_SW, and NN_CORE_UTILITIES_OUTCM_UNK_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## **NN\_CORE\_UTILITIES\_OUTCM\_UNK\_SW**

**LABEL:** Navigated Core HRSN Utilities Outcome Unknown

**DESCRIPTION:** Navigation needs (NN): navigated core health related social need (HRSN) utilities outcome unknown.

**LONG NAME:** NN\_CORE\_UTILITIES\_OUTCM\_UNK\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

Navigation outcome variables the utility HRSN (i.e., NN\_CORE\_UTILITIES\_RSLVD\_SW, NN\_CORE\_UTILITIES\_CNCT\_CSP\_SW, NN\_CORE\_UTILITIES\_OPTOUT\_SW, NN\_CORE\_UTILITIES\_CNTCT\_FAIL\_SW, NN\_CORE\_UTILITIES\_CSP\_UNAVBL\_SW, and NN\_CORE\_UTILITIES\_OUTCM\_UNK\_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## **NN\_CORE\_UTILITIES\_RSLVD\_SW**

**LABEL:** Navigated Core HRSN Utilities Resolved

**DESCRIPTION:** Navigation needs (NN): navigated core health related social need (HRSN) utilities resolved.

**LONG NAME:** NN\_CORE\_UTILITIES\_RSLVD\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

Navigation outcome variables the utility HRSN (i.e., NN\_CORE\_UTILITIES\_RSLVD\_SW, NN\_CORE\_UTILITIES\_CNCT\_CSP\_SW, NN\_CORE\_UTILITIES\_OPTOUT\_SW, NN\_CORE\_UTILITIES\_CNTCT\_FAIL\_SW, NN\_CORE\_UTILITIES\_CSP\_UNAVBL\_SW, and NN\_CORE\_UTILITIES\_OUTCM\_UNK\_SW) are mutually exclusive.

[^ Back to TOC ^](#)

## **NN\_NVGTD\_CORE\_FOOD\_SW**

**LABEL:** Navigated Core HRSN Food Indicator

**DESCRIPTION:** Navigation needs (NN): navigated core health related social need (HRSN) food indicator.

**LONG NAME:** NN\_NVGTD\_CORE\_FOOD\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_NVGTD\_CORE\_HOUSNG\_SW**

**LABEL:** Navigated Core HRSN Housing Indicator

**DESCRIPTION:** Navigation needs (NN): navigated core health related social need (HRSN) housing indicator.

**LONG NAME:** NN\_NVGTD\_CORE\_HOUSNG\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)



## **NN\_NVGTD\_CORE\_SFTY\_SW**

**LABEL:** Navigated Core HRSN Safety Indicator

**DESCRIPTION:** Navigation needs (NN): navigated core health related social need (HRSN) safety indicator.

**LONG NAME:** NN\_NVGTD\_CORE\_SFTY\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_NVGTD\_CORE\_TRNSPRTN\_SW**

<b>LABEL:</b>	Navigated Core HRSN Transportation Indicator
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated core health related social need (HRSN) transportation indicator.
<b>LONG NAME:</b>	NN_NVGTD_CORE_TRNSPRTN_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_NVGTD\_CORE\_UTILITIES\_SW**

**LABEL:** Navigated Core HRSN Utilities Indicator

**DESCRIPTION:** Navigation needs (NN): navigated core health related social need (HRSN) utilities indicator.

**LONG NAME:** NN\_NVGTD\_CORE\_UTILITIES\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_NVGTD\_SPLMTL\_DSBLTY\_SW**

**LABEL:** Navigated Supplemental HRSN Disability Indicator

**DESCRIPTION:** Navigation needs (NN): navigated supplemental health related social need (HRSN) disability indicator.

**LONG NAME:** NN\_NVGTD\_SPLMTL\_DSBLTY\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_NVGTD\_SPLMTL\_EDCTN\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Education Indicator
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) education indicator.
<b>LONG NAME:</b>	NN_NVGTD_SPLMTL_EDCTN_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_NVGTD\_SPLMTL\_EMPLYMT\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Employment Indicator
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) employment indicator.
<b>LONG NAME:</b>	NN_NVGTD_SPLMTL_EMPLYMT_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_NVGTD\_SPLMTL\_FINCL\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Financial Strain Indicator
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) financial strain indicator.
<b>LONG NAME:</b>	NN_NVGTD_SPLMTL_FINCL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_NVGTD\_SPLMTL\_FMLY\_CMNTY\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Family and Community Support Indicator
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) family and community support indicator.
<b>LONG NAME:</b>	NN_NVGTD_SPLMTL_FMLY_CMNTY_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)



## NN\_NVGTD\_SPLMTL\_MH\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Mental Health Indicator
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) mental health indicator.
<b>LONG NAME:</b>	NN_NVGTD_SPLMTL_MH_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_NVGTD\_SPLMTL\_PHYS\_ACTVTY\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Physical Activity Indicator
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) physical activity indicator.
<b>LONG NAME:</b>	NN_NVGTD_SPLMTL_PHYS_ACTVTY_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_NVGTD\_SPLMTL\_SBSTNC\_USE\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Substance Use Indicator
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) substance use indicator.
<b>LONG NAME:</b>	NN_NVGTD_SPLMTL_SBSTNC_USE_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## NN\_SPLMT\_FMLY\_CMNT\_CNCT\_CSP\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Family and Community Support Connected to Community Service Provider
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) family and community support connected to community service provider (CSP).
<b>LONG NAME:</b>	NN_SPLMT_FMLY_CMNT_CNCT_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## NN\_SPLMT\_FMLY\_CMNT\_CNTCT\_FAIL\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Family and Community Support Attempts to Reach Failed
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) family and community support attempts to reach failed.
<b>LONG NAME:</b>	NN_SPLMT_FMLY_CMNT_CNTCT_FAIL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## NN\_SPLMT\_FMLY\_CMNT\_CSP\_UNAVBL\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Family and Community Support Community Service Provider Unable to Help
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) family and community support community service provider (CSP) unavailable or unable to help.
<b>LONG NAME:</b>	NN_SPLMT_FMLY_CMNT_CSP_UNAVBL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMT\_FMLY\_CMNT\_OPTOUT\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Family and Community Support Opted Out
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) family and community support opted out of further navigation services.
<b>LONG NAME:</b>	NN_SPLMT_FMLY_CMNT_OPTOUT_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMT\_FMLY\_CMNT\_OUTCM\_UNK\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Family and Community Support Outcome Unknown
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) family and community support outcome unknown.
<b>LONG NAME:</b>	NN_SPLMT_FMLY_CMNT_OUTCM_UNK_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)



## **NN\_SPLMT\_FMLY\_CMNT\_RSLVD\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Family and Community Support Resolved
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) family and community support resolved.
<b>LONG NAME:</b>	NN_SPLMT_FMLY_CMNT_RSLVD_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMT\_PHYS\_ACT\_CNCT\_CSP\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Physical Activity Connected to Community Service Provider
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) physical activity connected to community service provider (CSP).
<b>LONG NAME:</b>	NN_SPLMT_PHYS_ACT_CNCT_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMT\_PHYS\_ACT\_CNTCT\_FAIL\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Physical Activity Attempts to Reach Failed
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) physical activity attempts to reach failed.
<b>LONG NAME:</b>	NN_SPLMT_PHYS_ACT_CNTCT_FAIL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMT\_PHYS\_ACT\_CSP\_UNAVBL\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Physical Activity Community Service Provider Unable to Help
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) physical activity community service provider (CSP) unavailable or unable to help.
<b>LONG NAME:</b>	NN_SPLMT_PHYS_ACT_CSP_UNAVBL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## NN\_SPLMT\_PHYS\_ACT\_OPTOUT\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Physical Activity Opted Out
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) physical activity opted out of further navigation services.
<b>LONG NAME:</b>	NN_SPLMT_PHYS_ACT_OPTOUT_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMT\_PHYS\_ACT\_OUTCM\_UNK\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Physical Activity Outcome Unknown
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) physical activity outcome unknown.
<b>LONG NAME:</b>	NN_SPLMT_PHYS_ACT_OUTCM_UNK_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMT\_PHYS\_ACT\_RSLVD\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Physical Activity Resolved
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) physical activity resolved.
<b>LONG NAME:</b>	NN_SPLMT_PHYS_ACT_RSLVD_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMT\_SBSTN\_USE\_CNCT\_CSP\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Substance Use Connected to Community Service Provider
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) substance use connected to community service provider (CSP).
<b>LONG NAME:</b>	NN_SPLMT_SBSTN_USE_CNCT_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)



## **NN\_SPLMT\_SBSTN\_USE\_CNTCT\_FAIL\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Substance Use Attempts to Reach Failed
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) substance use attempts to reach failed.
<b>LONG NAME:</b>	NN_SPLMT_SBSTN_USE_CNTCT_FAIL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## NN\_SPLMT\_SBSTN\_USE\_CSP\_UNAVBL\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Substance Use Community Service Provider Unable to Help
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) substance use community service provider (CSP) unavailable or unable to help.
<b>LONG NAME:</b>	NN_SPLMT_SBSTN_USE_CSP_UNAVBL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## NN\_SPLMT\_SBSTN\_USE\_OPTOUT\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Substance Use Opted Out
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) substance use opted out of further navigation services.
<b>LONG NAME:</b>	NN_SPLMT_SBSTN_USE_OPTOUT_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMT\_SBSTN\_USE\_OUTCM\_UNK\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Substance Use Outcome Unknown
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) substance use outcome unknown.
<b>LONG NAME:</b>	NN_SPLMT_SBSTN_USE_OUTCM_UNK_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMT\_SBSTN\_USE\_RSLVD\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Substance Use Resolved
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) substance use resolved.
<b>LONG NAME:</b>	NN_SPLMT_SBSTN_USE_RSLVD_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_DSBLTS\_CNCT\_CSP\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Disability Connected to Community Service Provider
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) disability connected to community service provider (CSP).
<b>LONG NAME:</b>	NN_SPLMTL_DSBLTS_CNCT_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_DSBLTS\_CNTCT\_FAIL\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Disability Attempts to Reach Failed
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) disability attempts to reach failed.
<b>LONG NAME:</b>	NN_SPLMTL_DSBLTS_CNTCT_FAIL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## NN\_SPLMTL\_DSBLTS\_CSP\_UNAVBL\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Disability Community Service Provider Unable to Help
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) disability community service provider (CSP) unavailable or unable to help
<b>LONG NAME:</b>	NN_SPLMTL_DSBLTS_CSP_UNAVBL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)



## **NN\_SPLMTL\_DSBLTS\_OPTOUT\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Disability Opted Out
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) disability opted out of further navigation services.
<b>LONG NAME:</b>	NN_SPLMTL_DSBLTS_OPTOUT_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## NN\_SPLMTL\_DSBLTS\_OUTCM\_UNK\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Disability Outcome Unknown
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) disability outcome unknown.
<b>LONG NAME:</b>	NN_SPLMTL_DSBLTS_OUTCM_UNK_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_DSBLTS\_RSLVD\_SW**

**LABEL:** Navigated Supplemental HRSN Disability Resolved

**DESCRIPTION:** Navigation needs (NN): navigated supplemental health related social need (HRSN) disability resolved.

**LONG NAME:** NN\_SPLMTL\_DSBLTS\_RSLVD\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_EDCTN\_CNCT\_CSP\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Education Connected to Community Service Provider
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) education connected to community service provider (CSP).
<b>LONG NAME:</b>	NN_SPLMTL_EDCTN_CNCT_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## NN\_SPLMTL\_EDCTN\_CNTCT\_FAIL\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Education Attempts to Reach Failed
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) education attempts to reach failed.
<b>LONG NAME:</b>	NN_SPLMTL_EDCTN_CNTCT_FAIL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## NN\_SPLMTL\_EDCTN\_CSP\_UNAVBL\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Education Community Service Provider Unable to Help
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) education community service provider (CSP) unavailable or unable to help.
<b>LONG NAME:</b>	NN_SPLMTL_EDCTN_CSP_UNAVBL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_EDCTN\_OPTOUT\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Education Opted Out
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) education opted out of further navigation services.
<b>LONG NAME:</b>	NN_SPLMTL_EDCTN_OPTOUT_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_EDCTN\_OUTCM\_UNK\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Education Outcome Unknown
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) education outcome unknown.
<b>LONG NAME:</b>	NN_SPLMTL_EDCTN_OUTCM_UNK_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)



## **NN\_SPLMTL\_EDCTN\_RSLVD\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Education Resolved
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) education resolved.
<b>LONG NAME:</b>	NN_SPLMTL_EDCTN_RSLVD_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_EMPLYMT\_CNCT\_CSP\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Employment Connected to Community Service Provider
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) employment connected to community service provider (CSP).
<b>LONG NAME:</b>	NN_SPLMTL_EMPLYMT_CNCT_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_EMPLYMT\_CNTCT\_FAIL\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Employment Attempts to Reach Failed
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) employment attempts to reach failed.
<b>LONG NAME:</b>	NN_SPLMTL_EMPLYMT_CNTCT_FAIL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## NN\_SPLMTL\_EMPLYMT\_CSP\_UNAVBL\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Employment Community Service Provider Unable to Help
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) employment community service provider (CSP) unavailable or unable to help.
<b>LONG NAME:</b>	NN_SPLMTL_EMPLYMT_CSP_UNAVBL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## NN\_SPLMTL\_EMPLYMT\_OPTOUT\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Employment Opted Out
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) employment opted out of further navigation services.
<b>LONG NAME:</b>	NN_SPLMTL_EMPLYMT_OPTOUT_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_EMPLYMT\_OUTCM\_UNK\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Employment Outcome Unknown
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) employment outcome unknown.
<b>LONG NAME:</b>	NN_SPLMTL_EMPLYMT_OUTCM_UNK_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_EMPLYMT\_RSLVD\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Employment Resolved
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) employment resolved.
<b>LONG NAME:</b>	NN_SPLMTL_EMPLYMT_RSLVD_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## NN\_SPLMTL\_FINCL\_CNCT\_CSP\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Financial Strain Connected to Community Service Provider
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) financial strain connected to community service provider (CSP).
<b>LONG NAME:</b>	NN_SPLMTL_FINCL_CNCT_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)



## NN\_SPLMTL\_FINCL\_CNTCT\_FAIL\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Financial Strain Attempts to Reach Failed
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) financial strain attempts to reach failed.
<b>LONG NAME:</b>	NN_SPLMTL_FINCL_CNTCT_FAIL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_FINCL\_CSP\_UNAVBL\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Financial Strain Community Service Provider Unable to Help
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) financial strain community service provider (CSP) unavailable or unable to help.
<b>LONG NAME:</b>	NN_SPLMTL_FINCL_CSP_UNAVBL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## NN\_SPLMTL\_FINCL\_OPTOUT\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Financial Strain Opted Out
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) financial strain opted out of further navigation services.
<b>LONG NAME:</b>	NN_SPLMTL_FINCL_OPTOUT_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_FINCL\_OUTCM\_UNK\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Financial Strain Outcome Unknown
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) financial strain outcome unknown.
<b>LONG NAME:</b>	NN_SPLMTL_FINCL_OUTCM_UNK_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_FINCL\_RSLVD\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Financial Strain Resolved
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) financial strain resolved.
<b>LONG NAME:</b>	NN_SPLMTL_FINCL_RSLVD_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_MH\_CNCT\_CSP\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Mental Health Connected to Community Service Provider
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) mental health connected to community service provider (CSP).
<b>LONG NAME:</b>	NN_SPLMTL_MH_CNCT_CSP_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_MH\_CNTCT\_FAIL\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Mental Health Attempts to Reach Failed
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) mental health attempts to reach failed.
<b>LONG NAME:</b>	NN_SPLMTL_MH_CNTCT_FAIL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_MH\_CSP\_UNAVBL\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Mental Health Community Service Provider Unable to Help
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) mental health community service provider (CSP) unavailable or unable to help.
<b>LONG NAME:</b>	NN_SPLMTL_MH_CSP_UNAVBL_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)



## NN\_SPLMTL\_MH\_OPTOUT\_SW

<b>LABEL:</b>	Navigated Supplemental HRSN Mental Health Opted Out
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) mental health opted out of further navigation services.
<b>LONG NAME:</b>	NN_SPLMTL_MH_OPTOUT_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_MH\_OUTCM\_UNK\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Mental Health Outcome Unknown
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) mental health outcome unknown.
<b>LONG NAME:</b>	NN_SPLMTL_MH_OUTCM_UNK_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## **NN\_SPLMTL\_MH\_RSLVD\_SW**

<b>LABEL:</b>	Navigated Supplemental HRSN Mental Health Resolved
<b>DESCRIPTION:</b>	Navigation needs (NN): navigated supplemental health related social need (HRSN) mental health resolved.
<b>LONG NAME:</b>	NN_SPLMTL_MH_RSLVD_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “NN” include information for each core and supplemental HRSN for which a beneficiary received navigation services.

[^ Back to TOC ^](#)

## SR\_CORE\_FOOD\_1\_CD

<b>LABEL:</b>	Core HRSN Food 1: Worried Food Would Run Out Before Got Money for More
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) worried food would run out before got money for more.
<b>LONG NAME:</b>	SR_CORE_FOOD_1_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Never True 1 = Sometimes True 2 = Often True Missing
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.  Values 1 and 2 indicate positive for the core food health related social need (HRSN).

[^ Back to TOC ^](#)

## SR\_CORE\_FOOD\_2\_CD

<b>LABEL:</b>	Core HRSN Food 2: Food Bought Didn't Last and Didn't Have Money to Get More
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) food bought didn't last and didn't have money to get more.
<b>LONG NAME:</b>	SR_CORE_FOOD_2_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Never True 1 = Sometimes True 2 = Often True Missing
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.  Values 1 and 2 indicate positive for the core food health related social need (HRSN).

[^ Back to TOC ^](#)

## SR\_CORE\_FOOD\_OVRL\_SCRNG\_IND

<b>LABEL:</b>	Screened Core HRSN Food Overall Indicator
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) food composite indicator.
<b>LONG NAME:</b>	SR_CORE_FOOD_OVRL_SCRNG_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Did not screen positive for food need 1 = Screened positive for food need Missing
<b>COMMENT:</b>	Variable considers the two HRSN food screening questions: SR_CORE_FOOD_1_CD and SR_CORE_FOOD_2_CD. This field is “1” if either of the two questions had a value of 1 = Sometimes True or 2 = Often True (positive for need).  Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_CORE\_HOUSNG\_1\_CD

**LABEL:** Core HRSN Housing 1: Current Living Situation

**DESCRIPTION:** Screening result (SR) core health related social need (HRSN) housing – current living situation.

**LONG NAME:** SR\_CORE\_HOUSNG\_1\_CD

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system

**VALUES:** 1 = Steady place to live  
2 = Worried lose housing  
3 = No steady housing  
Missing

**COMMENT:** Variables that start with “SR” include information for each screening.

Values of 2 and 3 indicate positive for the core housing health related social need (HRSN).

[^ Back to TOC ^](#)

## SR\_CORE\_HOUSNG\_2\_HEAT\_SW

**LABEL:** Core HRSN Housing 2: Heat Inadequate

**DESCRIPTION:** Screening result (SR) core health related social need (HRSN) housing – heat is inadequate.

**LONG NAME:** SR\_CORE\_HOUSNG\_2\_HEAT\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)



## SR\_CORE\_HOUSNG\_2\_LEAD\_SW

<b>LABEL:</b>	Core HRSN Housing 2: Lead Paint Pipes
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) housing has lead paint or pipes.
<b>LONG NAME:</b>	SR_CORE_HOUSNG_2_LEAD_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## SR\_CORE\_HOUSNG\_2\_MOLD\_SW

**LABEL:** Core HRSN Housing 2: Mold

**DESCRIPTION:** Screening result (SR) core health related social need (HRSN) housing has mold.

**LONG NAME:** SR\_CORE\_HOUSNG\_2\_MOLD\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## **SR\_CORE\_HOUSNG\_2\_OVEN\_SW**

**LABEL:** Core HRSN Housing 2: Oven not Working

**DESCRIPTION:** Screening result (SR) core health related social need (HRSN) housing – oven or stove not working.

**LONG NAME:** SR\_CORE\_HOUSNG\_2\_OVEN\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## **SR\_CORE\_HOUSNG\_2\_PESTS\_SW**

<b>LABEL:</b>	Core HRSN Housing 2: Pests
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) housing – pests such as bugs, ants, or mice.
<b>LONG NAME:</b>	SR_CORE_HOUSNG_2_PESTS_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_CORE\_HOUSNG\_2\_PRBLM\_CNT

<b>LABEL:</b>	Core HRSN Housing 2: Number of Problems
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) Housing – count of the number of problems.
<b>LONG NAME:</b>	SR_CORE_HOUSNG_2_PRBLM_CNT
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 – 7, or Null/Missing
<b>COMMENT:</b>	<p>Variables included in this count are the seven fields that begin with “SR_CORE_HOUSNG_2_*”. These are: SR_CORE_HOUSNG_2_HEAT_SW, SR_CORE_HOUSNG_2_LEAD_SW, SR_CORE_HOUSNG_2_MOLD_SW, SR_CORE_HOUSNG_2_OVEN_SW, SR_CORE_HOUSNG_2_PESTS_SW, SR_CORE_HOUSNG_2_SMK_DTCTR_SW, and SR_CORE_HOUSNG_2_WTR_LEAK_SW.</p> <p>Variables that start with “SR” include information for each screening.</p>

[^ Back to TOC ^](#)

## SR\_CORE\_HOUSNG\_2\_SCRNG\_CMPST\_IND

<b>LABEL:</b>	Core HRSN Housing 2: Problems Composite
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) composite indicator that housing has problems with pests, mold, lead, heat, oven, smoke detectors, and/or water.
<b>LONG NAME:</b>	SR_CORE_HOUSNG_2_SCRNG_CMPST_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No issues with pests, mold, lead, heat, oven, smoke detectors, or water 1 = Has issues with pests, mold, lead, heat, oven, smoke detectors, and/or water Missing
<b>COMMENT:</b>	Variables considered for this indicator are the seven fields that begin with “SR_CORE_HOUSNG_2_*”. These are: SR_CORE_HOUSNG_2_HEAT_SW, SR_CORE_HOUSNG_2_LEAD_SW, SR_CORE_HOUSNG_2_MOLD_SW, SR_CORE_HOUSNG_2_OVEN_SW, SR_CORE_HOUSNG_2_PESTS_SW, SR_CORE_HOUSNG_2_SMK_DTCTR_SW, and SR_CORE_HOUSNG_2_WTR_LEAK_SW.  Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_CORE\_HOUSNG\_2\_SMK\_DTCTR\_SW

**LABEL:** Core HRSN Housing 2: Smoke Detector not Working

**DESCRIPTION:** Screening result (SR) core health related social need (HRSN) housing has a smoke detector missing or not working.

**LONG NAME:** SR\_CORE\_HOUSNG\_2\_SMK\_DTCTR\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## **SR\_CORE\_HOUSNG\_2\_WTR\_LEAK\_SW**

**LABEL:** Core HRSN Housing 2: Water Leaks

**DESCRIPTION:** Screening result (SR) core health related social need (HRSN) housing with water leaks.

**LONG NAME:** SR\_CORE\_HOUSNG\_2\_WTR\_LEAK\_SW

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system (derived)

**VALUES:** 0 = No  
1 = Yes  
Missing

**COMMENT:** Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)



## SR\_CORE\_HOUSNG\_OVRL\_SCRNG\_IND

**LABEL:** Screened Core HRSN Housing Overall Indicator

**DESCRIPTION:** Screening result (SR) core health related social need (HRSN) housing – composite indicator.

**LONG NAME:** SR\_CORE\_HOUSNG\_OVRL\_SCRNG\_IND

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system

**VALUES:** 0 = Did not screen positive for housing need  
1 = Screened positive for housing need  
Missing

**COMMENT:** Variables include SR\_CORE\_HOUSNG\_1\_CD (value of 2 = Worried lose housing or 3 = No steady housing) and SR\_CORE\_HOUSNG\_2\_SCRNG\_CMPST\_IND (value of 1 = Has issues with pests, mold, lead, heat, oven, smoke detectors, and/or water). This field is “1” if either of the two housing questions was positive for the need.

Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_CORE\_SFTY\_1\_CD

<b>LABEL:</b>	Core HRSN Safety 1: How Often Physically Hurt
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) safety – how often is subject physically hurt by anyone, including family and friends.
<b>LONG NAME:</b>	SR_CORE_SFTY_1_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	1 = Never 2 = Rarely 3 = Sometimes 4 = Fairly often 5 = Frequently Missing
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_CORE\_SFTY\_2\_CD

**LABEL:** Core HRSN Safety 2: How Often Insulted

**DESCRIPTION:** Screening result (SR) core health related social need (HRSN) safety – how often is subject insulted by anyone, including family and friends.

**LONG NAME:** SR\_CORE\_SFTY\_2\_CD

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system

**VALUES:** 1 = Never  
2 = Rarely  
3 = Sometimes  
4 = Fairly Often  
5 = Frequently  
Missing

**COMMENT:** Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_CORE\_SFTY\_3\_CD

<b>LABEL:</b>	Core HRSN Safety 3: How Often Threatened
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) safety – how often is subject threatened with harm by anyone, including family and friends.
<b>LONG NAME:</b>	SR_CORE_SFTY_3_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	1 = Never 2 = Rarely 3 = Sometimes 4 = Fairly often 5 = Frequently Missing
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_CORE\_SFTY\_4\_CD

<b>LABEL:</b>	Core HRSN Safety 4: How Often Screamed or Cursed At
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) safety – how often is subject screamed or cursed at by anyone, including family and friends.
<b>LONG NAME:</b>	SR_CORE_SFTY_4_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	1 = Never 2 = Rarely 3 = Sometimes 4 = Fairly often 5 = Frequently Missing
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_CORE\_SFTY\_OVRL\_SCRNG\_IND

<b>LABEL:</b>	Screened Core HRSN Safety Overall Indicator
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) safety composite indicator.
<b>LONG NAME:</b>	SR_CORE_SFTY_OVRL_SCRNG_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Did not screen positive for safety need 1 = Screened positive for safety need Missing
<b>COMMENT:</b>	Variable considers the four safety screening questions that begin with "SR_CORE_SFTY_*": SR_CORE_SFTY_1_CD, SR_CORE_SFTY_2_CD, SR_CORE_SFTY_3_CD, and SR_CORE_SFTY_4_CD. This field is "1" if the sum of the four safety questions is 11 or higher.  Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## SR\_CORE\_TRANSPRTN\_1\_SW

<b>LABEL:</b>	Core HRSN Transportation 1: Lack of Reliable Transportation
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) lack of reliable transportation for medical appointments, meetings, work, or from getting to things needed for daily living.
<b>LONG NAME:</b>	SR_CORE_TRANSPRTN_1_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## SR\_CORE\_TRANSPRTN\_OVRL\_SCRNG\_IND

<b>LABEL:</b>	Screened Core HRSN Transportation Overall Indicator
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) transportation composite indicator.
<b>LONG NAME:</b>	SR_CORE_TRANSPRTN_OVRL_SCRNG_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Did not screen positive for transportation need 1 = Screened positive for transportation need Missing
<b>COMMENT:</b>	The variable considered for this indicator is SR_CORE_TRANSPRTN_1_SW. This field is “1” if the transportation question had a value of 1 = Yes (positive for need).  Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)



## SR\_CORE\_UTILITIES\_1\_CD

<b>LABEL:</b>	Core HRSN Utility 1: Utility Company Threatened to Shut Off Services to Home
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) utilities identifies whether electric, gas, oil, or water company threatened to shut off services to home.
<b>LONG NAME:</b>	SR_CORE_UTILITIES_1_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes 2 = Already shut off Missing
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_CORE\_UTLTY\_OVRL\_SCRNG\_IND

<b>LABEL:</b>	Screened Core HRSN Utilities Overall Indicator
<b>DESCRIPTION:</b>	Screening result (SR) core health related social need (HRSN) patient has difficulty in paying utility bills composite indicator.
<b>LONG NAME:</b>	SR_CORE_UTLTY_OVRL_SCRNG_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Did not screen positive for utility need 1 = Screened positive for utility need Missing
<b>COMMENT:</b>	The variable considered for this indicator is the SR_CORE_UTILITIES_1_CD. This field is "1" if the transportation question value of 1 = Yes or 2 = Already shut off (positive for need).  Variables that start with "SR" include information for each screening

[^ Back to TOC ^](#)

## SR\_ELGBL\_FOR\_NVGTN\_IND

<b>LABEL:</b>	Beneficiary Eligibility for Navigation, Includes Track 1 Control Group Benes
<b>DESCRIPTION:</b>	Screening result (SR) Beneficiary eligible for navigation, includes track 1 control group beneficiaries.
<b>LONG NAME:</b>	SR_ELGBL_FOR_NVGTN_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = Not eligible for intervention 1 = Eligible for intervention (1+ core HRSNs, 2+ ED visits)
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.  This variable is “1” if the beneficiary has at least 1 core HRSN (SR_CN_HRSN_YN = 1) and two or more ED visits in the previous 12 months (SR_ED_LAST_12_MOS = 2 or more).

[^ Back to TOC ^](#)

## SR\_ER\_VISITS\_CD

<b>LABEL:</b>	Beneficiary Number of ED Visits Last 12 Months
<b>DESCRIPTION:</b>	Screening result (SR) Beneficiary number of emergency department (ED) visits in the last 12 months, categorized value.
<b>LONG NAME:</b>	SR_ER_VISITS_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = no ED visits 1 = one ED visit 2 = two or more ED visits
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## SR\_GRP\_ASGNMT\_IND

<b>LABEL:</b>	Beneficiary Group Assignment Assistance Track
<b>DESCRIPTION:</b>	Screening result (SR) variable that indicates whether the beneficiary was assigned to the intervention group (the assistance track) or a control group.
<b>LONG NAME:</b>	SR_GRP_ASGNMT_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Control group 1 = Intervention group (assistance track) Null/Missing
<b>COMMENT:</b>	<p>Navigation-eligible beneficiaries in the assistance track were randomly assigned to intervention (70%) or control (30%) group. More specifically, the AHC data system used a randomizer to set the probability. When a beneficiary met the randomization eligibility criteria (i.e., 1+ core HRSN and 2+ ED visits in the 12 months prior to screening), the AHC data system “tossed a 10 dice.” If the result was 1 to 7, the beneficiary was assigned to the intervention group; if the result was 8 to 10, the beneficiary was assigned to the control group. Therefore, the beneficiary had a 70% probability being assigned to the intervention group and a 30% probability of being assigned to the control group. About 1% of assistance track navigation-eligible beneficiaries have a missing value, likely due to a technical issue with the AHC data system. Most of those beneficiaries (93%) have a missing value for the navigation opt in/out flag (SR_NVGTN_OPT_IN_OUT_IND) indicating that they were likely not offered navigation services. The other seven percent opted out of navigation services (SR_NVGTN_OPT_IN_OUT_IND = 0).</p> <p>Variables that start with “SR” include information for each screening.</p>

[^ Back to TOC ^](#)

## SR\_HAS\_CORE\_HRSN\_IND

<b>LABEL:</b>	Beneficiary Has at Least 1 Core HRSN
<b>DESCRIPTION:</b>	Screening result (SR) Beneficiary has at least one core health related social need (HRSN).
<b>LONG NAME:</b>	SR_HAS_CORE_HRSN_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0 = No core HRSNs 1 = One or more core HRSNs
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_NVGTN\_OPT\_IN\_OUT\_DT

**LABEL:** Navigation Case Opt In/Out Date

**DESCRIPTION:** Screening result (SR) Navigation case opt in/out date.

**LONG NAME:** SR\_NVGTN\_OPT\_IN\_OUT\_DT

**TYPE:** DATE

**LENGTH:** 8

**SOURCE:** AHC data system

**VALUES:** Format: DDMONYYYY (e.g., 09SEP2019)

**COMMENT:** Dates are from May 3, 2018–April 24, 2023.  
Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_NVGTN\_OPT\_IN\_OUT\_IND

**LABEL:** Beneficiary Opted In or Out of Navigation services

**DESCRIPTION:** Screening result (SR)Beneficiary opted in or out of navigation services.

**LONG NAME:** SR\_NVGTN\_OPT\_IN\_OUT\_IND

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system

**VALUES:** 0 = Opted out  
1 = Opted in  
Missing - Not eligible

**COMMENT:** Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)



## SR\_SCRNG\_BEFORE\_DRNG\_AFTR\_CD

<b>LABEL:</b>	Did Screening Occur Before, During, or After the Visit
<b>DESCRIPTION:</b>	Screening result (SR) Did screening occur before, during, or after the visit.
<b>LONG NAME:</b>	SR_SCRNG_BEFORE_DRNG_AFTR_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	1 = Before clinical visit 2 = During clinical visit 3 = After clinical visit Missing
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## SR\_SCRNG\_DT

<b>LABEL:</b>	Screening Date
<b>DESCRIPTION:</b>	Screening result (SR) Screening date.
<b>LONG NAME:</b>	SR_SCRNG_DT
<b>TYPE:</b>	DATE
<b>LENGTH:</b>	8
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	Format: DDMONYYYY (e.g., 26NOV2018)
<b>COMMENT:</b>	Screening dates occurred between May 1, 2018–January 31, 2023. Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_SCRNG\_ID

**LABEL:** Screening Identifier

**DESCRIPTION:** Screening result (SR) AHC screening standardized nine-digit unique identifier.

**LONG NAME:** SR\_SCRNG\_ID

**TYPE:** CHAR

**LENGTH:** 9

**SOURCE:** AHC data system (derived)

**VALUES:** Alphanumeric character string that contains intelligence (e.g., 2230025803 is the 25,803rd unique screening for the AHC bridge organization B23).

The first digit is always 2, then the 2<sup>nd</sup> and 3<sup>rd</sup> digits are the numeric portion of the bridge organization identifier (i.e., the “B” from the bridge organization ID is replaced with a “2”). The remaining 6 digits are sequential numbers representing unique screenings for each bridge organization.

**COMMENT:** Beneficiaries had between one and 95 screenings; these are uniquely identified using this screening ID (SR\_SCRNG\_ID) field.

This ID is specific to the AHC Model and does not link to any other CMS data file or system.

Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLM\_FMLY\_CMNTY\_OVRL\_SCRN\_IND

<b>LABEL:</b>	Screened Supplemental HRSN Family and Community Support Overall Indicator
<b>DESCRIPTION:</b>	Screening result (SR) supplemental health related social need (HRSN) family and community support composite indicator.
<b>LONG NAME:</b>	SR_SPLM_FMLY_CMNTY_OVRL_SCRN_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Did not screen positive for friends and community support need 1 = Screened positive for friends and community support need Missing
<b>COMMENT:</b>	<p>The variables considered for this indicator are SR_SPLMTL_FMLY_CMNTY_SPRT_1_CD (value of 2 = I could use a little more help or 3 = I need a lot more help) and SR_SPLMTL_FMLY_CMNTY_SPRT_2_CD (value of 3 = Often or 4 = Always). This field is “1” if either of the two family and community support questions was positive for the need.</p> <p>Variables that start with “SR” include information for each screening.</p>

[^ Back to TOC ^](#)

## SR\_SPLM\_PHYS\_ACTV\_OVRL\_SCRN\_IND

<b>LABEL:</b>	Screened Supplemental HRSN Physical Activity Overall Indicator
<b>DESCRIPTION:</b>	Screening result (SR) supplemental health related social need (HRSN) physical activity composite indicator.
<b>LONG NAME:</b>	SR_SPLM_PHYS_ACTV_OVRL_SCRN_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Did not screen positive for physical activity need 1 = Screened positive for physical activity need Missing
<b>COMMENT:</b>	The variable considered for this indicator is SR_SPLMTL_PHYS_ACTVTY_1_2_QTY, which is the product of SR_SPLMTL_PHYS_ACTVTY_1_CD and SR_SPLMTL_PHYS_ACTVTY_2_CD.

Whether this field is “1” depends on 1) the amount of exercise engaged in each week, and 2) the respondent’s age:

- Under 6 years old: No physical activity HRSN
- Age 6 to 17: Fewer than an average of 60 minutes per day indicates a physical activity HRSN
- Age 18 or older: Fewer than 150 minutes per week indicates a physical activity HRSN

Example: If a 57-year-old indicates that she exercises two days a week for 40 minutes, her score would be 80 minutes per week [2 days x 40 minutes = 80 minute per week]. Because she is over 18 and exercises fewer than 150 minutes per week, she has an identified physical activity HRSN.

Variables that start with “SR” include information for each screening

[^ Back to TOC ^](#)

## SR\_SPLMT\_SBST\_USE\_OVRL\_SCRNG\_IND

<b>LABEL:</b>	Screened Supplemental HRSN Substance Use Overall Indicator
<b>DESCRIPTION:</b>	Screening result (SR) supplemental health related social need (HRSN) substance use composite indicator.
<b>LONG NAME:</b>	SR_SPLMT_SBST_USE_OVRL_SCRNG_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Did not screen positive for substance use need 1 = Screened positive for substance use need Missing
<b>COMMENT:</b>	The variables considered for this indicator are SR_SPLMTL_SBSTNC_USE_1_CD, SR_SPLMTL_SBSTNC_USE_2_CD, SR_SPLMTL_SBSTNC_USE_3_CD, and SR_SPLMTL_SBSTNC_USE_4_CD. This field is “1” if any of the four substance use questions was positive for the need (value of 1 = Once or twice, 2 = Monthly, 3 = Weekly, or 4 = Daily or almost daily).  Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_DSBLTS\_1\_SW

<b>LABEL:</b>	Supplemental HRSN Disability 1: Serious Difficulty Concentrating, Remembering, or Making Decisions
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) disabilities variable where patient has serious difficulty concentrating, remembering, or making decisions due to physical, mental, or emotional condition (five years or older).
<b>LONG NAME:</b>	SR_SPLMTL_DSBLTS_1_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_DSBLTS\_2\_SW

<b>LABEL:</b>	Supplemental HRSN Disabilities 2: Difficulty Doing Errands Alone
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) disabilities descriptor where patient has difficulty doing errands alone such as visiting a doctor's office or shopping (15 years or older).
<b>LONG NAME:</b>	SR_SPLMTL_DSBLTS_2_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)



## SR\_SPLMTL\_DSBLTS\_OVRL\_SCRNG\_IND

<b>LABEL:</b>	Screened Supplemental HRSN Disabilities Overall Indicator
<b>DESCRIPTION:</b>	Screening result (SR) supplemental health related social need (HRSN) disabilities composite indicator.
<b>LONG NAME:</b>	SR_SPLMTL_DSBLTS_OVRL_SCRNG_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Did not screen positive for disabilities need 1 = Screened positive for disabilities need Missing
<b>COMMENT:</b>	The variables considered for this indicator are the SR_SPLMTL_DSBLTS_1_SW and SR_SPLMTL_DSBLTS_2_SW. This field is “1” if either of the disabilities questions was positive for the need (value of 1 = Yes).  Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## **SR\_SPLMTL\_EDCTN\_1\_SW**

<b>LABEL:</b>	Supplemental HRSN Education 1: Speak a Language Other Than English at Home
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) education descriptor where patient speaks a language other than English at home.
<b>LONG NAME:</b>	SR_SPLMTL_EDCTN_1_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_EDCTN\_2\_SW

<b>LABEL:</b>	Supplemental HRSN Education 2: Want Help with School or Training
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) education where patient wants help with school or training.
<b>LONG NAME:</b>	SR_SPLMTL_EDCTN_2_SW
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = No 1 = Yes Missing
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_EDCTN\_OVRL\_SCRNG\_IND

<b>LABEL:</b>	Screened Supplemental HRSN Education Overall Indicator
<b>DESCRIPTION:</b>	Screening result (SR) supplemental health related social need (HRSN) education composite indicator.
<b>LONG NAME:</b>	SR_SPLMTL_EDCTN_OVRL_SCRNG_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Did not screen positive for education need 1 = Screened positive for education need Missing
<b>COMMENT:</b>	The variables considered for this indicator are SR_SPLMTL_EDCTN_1_SW and SR_SPLMTL_EDCTN_2_SW. This field is “1” if either of the education questions was positive for the need (value of 1 = Yes).  Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_EMPLYMT\_1\_CD

<b>LABEL:</b>	Supplemental HRSN Employment 1: Want Help Finding or Keeping Job
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) employment where patient wants help finding or keeping a job.
<b>LONG NAME:</b>	SR_SPLMTL_EMPLYMT_1_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = I do not need or want help 1 = Yes, help keeping work 2 = Yes, help finding work Missing
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_EMPLYMT\_OVRL\_SCRN\_IND

<b>LABEL:</b>	Screened Supplemental HRSN Employment Overall Indicator
<b>DESCRIPTION:</b>	Screening result (SR) Screened Supplemental health related social need (HRSN) employment composite indicator.
<b>LONG NAME:</b>	SR_SPLMTL_EMPLYMT_OVRL_SCRN_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Did not screen positive for employment need 1 = Screened positive for employment need Missing
<b>COMMENT:</b>	The variable considered for this indicator is SR_SPLMTL_EMPLYMT_1_CD. This field is “1” if the employment question was positive for the need (  Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_FINCL\_1\_CD

<b>LABEL:</b>	Supplemental HRSN Financial Strain 1: How Hard to Pay for Basics
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) financial strain telling how hard it is to pay for basics like food, housing, medical care, and heating.
<b>LONG NAME:</b>	SR_SPLMTL_FINCL_1_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Not hard 1 = Somewhat hard 2 = Very hard Missing
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_FINCL\_OVRL\_SCRNG\_IND

<b>LABEL:</b>	Screened Supplemental HRSN Financial Strain Overall Indicator
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) financial strain composite indicator.
<b>LONG NAME:</b>	SR_SPLMTL_FINCL_OVRL_SCRNG_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Did not screen positive for financial strain need 1 = Screened positive for financial strain need Missing
<b>COMMENT:</b>	The variable considered for this indicator is SR_SPLMTL_FINCL_1_CD. This field is “1” if the financial strain question is positive for the need (value of 1 = Somewhat hard or 2 = Very hard).  Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)



## SR\_SPLMTL\_FMLY\_CMNTY\_SPRT\_1\_CD

<b>LABEL:</b>	Supplemental HRSN Family and Community Support 1: Get Help with Day-to-Day Activities
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) family and community support if it is needed, get help with day-to-day activities such as bathing, preparing meals, shopping, caring for children or dependents, managing finances, etc.
<b>LONG NAME:</b>	SR_SPLMTL_FMLY_CMNTY_SPRT_1_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = I don't need any help 1 = I get all the help I need 2 = I could use a little more help 3 = I need a lot more help Missing
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_FMLY\_CMNTY\_SPRT\_2\_CD

<b>LABEL:</b>	Supplemental HRSN Family and Community Support 2: How Often Feel Lonely or Isolated
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) family and community support telling how often patient feels lonely or isolated.
<b>LONG NAME:</b>	SR_SPLMTL_FMLY_CMNTY_SPRT_2_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Never 1 = Rarely 2 = Sometimes 3 = Often 4 = Always Missing
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_MH\_1\_2\_SUM

<b>LABEL:</b>	Supplemental HRSN Mental Health Sum of SR_SPLMTL_MH_1_CD and SR_SPLMTL_MH_2_CD
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) mental health sum of SR_SPLMTL_MH_1_CD and SR_SPLMTL_MH_2_CD.
<b>LONG NAME:</b>	SR_SPLMTL_MH_1_2_SUM
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0–6, or Null/Missing
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_MH\_1\_CD

<b>LABEL:</b>	Supplemental HRSN Mental Health 1: Little Interest or Pleasure in Things
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) mental health where patient has little interest or pleasure in doing things.
<b>LONG NAME:</b>	SR_SPLMTL_MH_1_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Not at all 1 = Several days 2 = More than half the days 3 = Nearly every day Missing
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_MH\_2\_CD

<b>LABEL:</b>	Supplemental HRSN Mental Health 2: Feeling Down, Depressed, or Hopeless
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) mental health where patient is feeling down, depressed, or hopeless.
<b>LONG NAME:</b>	SR_SPLMTL_MH_2_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Not at all 1 = Several days 2 = More than half the days 3 = Nearly every day Missing
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

### SR\_SPLMTL\_MH\_3\_CD

<b>LABEL:</b>	Supplemental HRSN Mental Health 3: Feel Tense, Restless, Anxious, Sleepless, Troubled
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) mental health where patient feels tense, restless, nervous or anxious, or unable to sleep at night because mind is troubled all the time.
<b>LONG NAME:</b>	SR_SPLMTL_MH_3_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Not at all 1 = A little bit 2 = Somewhat 3 = Quite a bit 4 = Very much Missing
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_MH\_OVRL\_SCRNG\_IND

<b>LABEL:</b>	Screened Supplemental HRSN Mental Health Overall Indicator
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) mental health composite indicator.
<b>LONG NAME:</b>	SR_SPLMTL_MH_OVRL_SCRNG_IND
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Did not screen positive for mental health need 1 = Screened positive for mental health need Missing
<b>COMMENT:</b>	<p>The variables considered for this indicator are SR_SPLMTL_MH_1_2_SUM (which is the sum of SR_SPLMTL_MH_1_CD and SR_SPLMTL_MH_2_CD) and SR_SPLMTL_MH_3_CD. This field is “1” if the sum of the first two mental health questions is three or higher or if the value of the third mental health question is 1 = A little bit, 2 = Somewhat, 3 = Quite a bit, or 4 = Very much.</p> <p>Variables that start with “SR” include information for each screening.</p>

[^ Back to TOC ^](#)

## SR\_SPLMTL\_PHYS\_ACTVTY\_1\_2\_QTY

<b>LABEL:</b>	Supplemental HRSN Physical Activity Items 1 x 2 Numb of Days/Minutes Moderate Exercise
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) physical activity calculated field. This field is the physical activity items 1 – moderate exercise days (field called SR_SPLMTL_PHYS_ACTVTY_1_CD) multiplied by physical activity item 2 x 2 – number of days/minutes of moderate exercise (field called SR_SPLMTL_PHYS_ACTVTY_2_CD).
<b>LONG NAME:</b>	SR_SPLMTL_PHYS_ACTVTY_1_2_QTY
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	4
<b>SOURCE:</b>	AHC data system (derived)
<b>VALUES:</b>	0–1050 Missing
<b>COMMENT:</b>	This field represents total minutes (in the week) of moderate exercise.  Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)



## SR\_SPLMTL\_PHYS\_ACTVTY\_1\_CD

<b>LABEL:</b>	Supplemental HRSN Physical Activity 1: Number of Days Moderate Exercise
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) physical activity counting number days moderate exercise.
<b>LONG NAME:</b>	SR_SPLMTL_PHYS_ACTVTY_1_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = 0 days 1 = 1 day 2 = 2 days 3 = 3 days 4 = 4 days 5 = 5 days 6 = 6 days 7 = 7 days Missing
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_PHYS\_ACTVTY\_2\_CD

<b>LABEL:</b>	Supplemental HRSN Physical Activity 2: Number Minutes of Moderate Exercise
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) physical activity counting number of minutes of moderate exercise.
<b>LONG NAME:</b>	SR_SPLMTL_PHYS_ACTVTY_2_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	3
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = 0 minutes 10 = 10 minutes 20 = 20 minutes 30 = 30 minutes 40 = 40 minutes 50 = 50 minutes 60 = 60 minutes 90 = 90 minutes 120 = 120 minutes 150 = 150 minutes Missing
<b>COMMENT:</b>	Variables that start with “SR” include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_SBSTNC\_USE\_1\_CD

<b>LABEL:</b>	Supplemental HRSN Substance Use 1: Past 12 Months Alcohol Use
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) substance use counting the past 12 months alcohol use.
<b>LONG NAME:</b>	SR_SPLMTL_SBSTNC_USE_1_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Never 1 = Once or twice 2 = Monthly 3 = Weekly 4 = Daily or almost daily Missing
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_SBSTNC\_USE\_2\_CD

**LABEL:** Supplemental HRSN Substance Use 2: Past 12 Months Tobacco Use

**DESCRIPTION:** Screening result (SR) Supplemental health related social need (HRSN) Substance use counting the past 12 months tobacco use.

**LONG NAME:** SR\_SPLMTL\_SBSTNC\_USE\_2\_CD

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** AHC data system

**VALUES:** 0 = Never  
1 = Once or twice  
2 = Monthly  
3 = Weekly  
4 = Daily or almost daily  
Missing

**COMMENT:** Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_SBSTNC\_USE\_3\_CD

<b>LABEL:</b>	Supplemental HRSN Substance Use 3: Past 12 months Non-Medical Prescription Drug Use
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) substance use asking past 12 months non-medical prescription drug use.
<b>LONG NAME:</b>	SR_SPLMTL_SBSTNC_USE_3_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Never 1 = Once or twice 2 = Monthly 3 = Weekly 4 = Daily or almost daily Missing
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## SR\_SPLMTL\_SBSTNC\_USE\_4\_CD

<b>LABEL:</b>	Supplemental HRSN Substance Use 4: Past 12 Months Illegal Drug Use
<b>DESCRIPTION:</b>	Screening result (SR) Supplemental health related social need (HRSN) substance use past 12 months illegal drug use.
<b>LONG NAME:</b>	SR_SPLMTL_SBSTNC_USE_4_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	AHC data system
<b>VALUES:</b>	0 = Never 1 = Once or twice 2 = Monthly 3 = Weekly 4 = Daily or almost daily Missing
<b>COMMENT:</b>	Variables that start with "SR" include information for each screening.

[^ Back to TOC ^](#)

## STATE\_CD

**LABEL:** Submitting State Alpha Abbreviation

**DESCRIPTION:** State Code associated with the Medicaid Beneficiary Identifier (the MSIS\_ID)

**LONG NAME:** STATE\_CD

**TYPE:** CHAR

**LENGTH:** 2

**SOURCE:** AHC data system/CCW (derived)

**VALUES:** Two-character postal state code

AK = Alaska

AL = Alabama

AR = Arkansas

AZ = Arizona

CA = California

CO = Colorado

CT = Connecticut

DC = District of Columbia

DE = Delaware

FL = Florida

GA = Georgia

HI = Hawaii

IA = Iowa

ID = Idaho

IL = Illinois

IN = Indiana

KS = Kansas

KY = Kentucky

LA = Louisiana

MA = Massachusetts

MD = Maryland

ME = Maine

MI = Michigan

MN = Minnesota

MO = Missouri

MS = Mississippi

MT = Montana

NC = North Carolina

ND = North Dakota

NE = Nebraska

NH = New Hampshire

NJ = New Jersey

NM = New Mexico

NV = Nevada

NY = New York

OH = Ohio

OK = Oklahoma

OR = Oregon

PA = Pennsylvania

PR = Puerto Rico

RI = Rhode Island

SC = South Carolina

TN = Tennessee

TX = Texas

UT = Utah

VA = Virginia

VT = Vermont

WA = Washington

WI = Wisconsin

WV = West Virginia

WY = Wyoming

Null/Missing = Unknown (beneficiary not linked to Medicaid data therefore MSIS\_ID + STATE\_CD was not obtained)

**COMMENT:** —

[^ Back to TOC ^](#)